



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		200
Se	0.00 µg/l	0 µg/l	-0.10		200
Cd	0.00 µg/l	0 µg/l	-0.10		200
Sn	45.00 µg/l	0 µg/l	44.90		200
Sb	0.00 µg/l	0 µg/l	-0.10		200
As	0.00 µg/l	0 µg/l	-0.10		200
Al	5.15 µg/l	2.00 µg/l	3.15		200
Pb	0.00 µg/l	0 µg/l	-0.10		200
Ti	0.00 µg/l	0 µg/l	-0.10		200
Cu	6.30 µg/l	0 µg/l	6.20		200
La	0.00 µg/l	0 µg/l	-0.10		200
Sc	0.00 µg/l	0 µg/l	-0.10		200
W	0.00 µg/l	0 µg/l	-0.10		200




Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	10133.00 mg/l	10700.00 mg/l	-567.00		200
Ca	462.00 mg/l	440.00 mg/l	22.00		200
Mg	1315.00 mg/l	1370.00 mg/l	-55.00		200
K	398.00 mg/l	400.00 mg/l	-2.00		200
Br	65.00 mg/l	62.00 mg/l	3.00		200
B	4.94 mg/l	4.50 mg/l	0.44		200
Sr	11.00 mg/l	8.00 mg/l	3.00		200
S	925.00 mg/l	900.00 mg/l	25.00		200





Action21 (16741A)






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	448.00 µg/l	200.00 µg/l	248.00		200
Ni	0.00 µg/l	5.00 µg/l	-5.00		200
Mo	35.00 µg/l	12.00 µg/l	23.00		200



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	7.19 µg/l	1.20 µg/l	5.99		200
Zn	14.00 µg/l	4.00 µg/l	10.00		200
Mn	0.00 µg/l	2.00 µg/l	-2.00		200
I	54.00 µg/l	60.00 µg/l	-6.00		200


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		200
Co	0.00 µg/l	0 µg/l	-0.10		200
Fe	0.00 µg/l	0 µg/l	-0.10		200

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	39.00 µg/l	10.00 µg/l	29.00		200
Be	0.00 µg/l	0 µg/l	-0.10		200



Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	97.00 µg/l	100.00 µg/l	-3.00		200

Action21 (16741A)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	105.00 µg/l	6.00 µg/l	99.00		200
PO4	0.321 mg/l	0.018 mg/l	0.303		200