



## Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		310
Se	0.00 µg/l	0 µg/l	-0.10		310
Cd	0.00 µg/l	0 µg/l	-0.10		310
Sn	9.87 µg/l	0 µg/l	9.77		310
Sb	0.00 µg/l	0 µg/l	-0.10		310
As	0.00 µg/l	0 µg/l	-0.10		310
Al	49.43 µg/l	2.00 µg/l	47.43		310
Pb	0.00 µg/l	0 µg/l	-0.10		310
Ti	0.00 µg/l	0 µg/l	-0.10		310
Cu	9.19 µg/l	0 µg/l	9.09		310

## Macro-Elements





Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Na	10428.00 mg/l	10700.00 mg/l	-272.00		310
Ca	513.40 mg/l	440.00 mg/l	73.40		310
Mg	1445.00 mg/l	1370.00 mg/l	75.00		310
K	645.30 mg/l	400.00 mg/l	245.30		310
Br	67.39 mg/l	62.00 mg/l	5.39		310
B	3.42 mg/l	4.50 mg/l	-1.08		310
Sr	9.53 mg/l	8.00 mg/l	1.53		310
S	1041.00 mg/l	900.00 mg/l	141.00		310

## Li-Group




Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Li	211.30 µg/l	200.00 µg/l	11.30		310
Ni	2.33 µg/l	5.00 µg/l	-2.67		310
Mo	34.09 µg/l	12.00 µg/l	22.09		310





## I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
V	0.00 µg/l	1.20 µg/l	-1.20		310
Zn	6.61 µg/l	4.00 µg/l	2.61		310
Mn	0.00 µg/l	2.00 µg/l	-2.00		310
I	303.00 µg/l	60.00 µg/l	243.00		310


## Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Cr	0.00 µg/l	0 µg/l	-0.10		310
Co	0.00 µg/l	0 µg/l	-0.10		310
Fe	0.00 µg/l	0 µg/l	-0.10		310



## Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Ba	60.52 µg/l	10.00 µg/l	50.52		310
Be	0.00 µg/l	0 µg/l	-0.10		310

## Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Si	187.80 µg/l	100.00 µg/l	87.80		310

## Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
P	759.20 µg/l	6.00 µg/l	753.20		310
PO4	2.323 mg/l	0.018 mg/l	2.305		310