



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		310
Se	0.00 µg/l	0 µg/l	-0.10		310
Cd	0.00 µg/l	0 µg/l	-0.10		310
Sn	7.13 µg/l	0 µg/l	7.03		310
Sb	0.00 µg/l	0 µg/l	-0.10		310
As	0.00 µg/l	0 µg/l	-0.10		310
Al	20.60 µg/l	2.00 µg/l	18.60		310
Pb	0.00 µg/l	0 µg/l	-0.10		310
Ti	0.00 µg/l	0 µg/l	-0.10		310
Cu	29.14 µg/l	0 µg/l	29.04		310

Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Na	10243.00 mg/l	10700.00 mg/l	-457.00		310
Ca	471.30 mg/l	440.00 mg/l	31.30		310
Mg	1388.00 mg/l	1370.00 mg/l	18.00		310
K	669.90 mg/l	400.00 mg/l	269.90		310
Br	68.53 mg/l	62.00 mg/l	6.53		310
B	3.36 mg/l	4.50 mg/l	-1.14		310
Sr	8.90 mg/l	8.00 mg/l	0.90		310
S	1048.00 mg/l	900.00 mg/l	148.00		310

Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Li	199.00 µg/l	200.00 µg/l	-1.00		310
Ni	3.14 µg/l	5.00 µg/l	-1.86		310
Mo	32.56 µg/l	12.00 µg/l	20.56		310



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
V	0.00 µg/l	1.20 µg/l	-1.20		310
Zn	4.71 µg/l	4.00 µg/l	0.71		310
Mn	0.00 µg/l	2.00 µg/l	-2.00		310
I	1.00 µg/l	60.00 µg/l	-59.00		310

Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Cr	0.00 µg/l	0 µg/l	-0.10		310
Co	0.00 µg/l	0 µg/l	-0.10		310
Fe	0.00 µg/l	0 µg/l	-0.10		310

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Ba	82.56 µg/l	10.00 µg/l	72.56		310
Be	0.00 µg/l	0 µg/l	-0.10		310

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Si	191.10 µg/l	100.00 µg/l	91.10		310

Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
P	745.30 µg/l	6.00 µg/l	739.30		310
PO4	2.281 mg/l	0.018 mg/l	2.263		310