



Unwanted heavy metals




Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		310
Se	0.00 µg/l	0 µg/l	-0.10		310
Cd	0.00 µg/l	0 µg/l	-0.10		310
Sn	2.85 µg/l	0 µg/l	2.75		310
Sb	0.00 µg/l	0 µg/l	-0.10		310
As	0.00 µg/l	0 µg/l	-0.10		310
Al	179.00 µg/l	2.00 µg/l	177.00		310
Pb	0.00 µg/l	0 µg/l	-0.10		310
Ti	0.00 µg/l	0 µg/l	-0.10		310
Cu	2.53 µg/l	0 µg/l	2.43		310
La	0.00 µg/l	0 µg/l	-0.10		310
Sc	0.00 µg/l	0 µg/l	-0.10		310
W	0.00 µg/l	0 µg/l	-0.10		310

Macro-Elements





Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Na	11034.00 mg/l	10700.00 mg/l	334.00		310
Ca	517.00 mg/l	440.00 mg/l	77.00		310
Mg	1325.00 mg/l	1370.00 mg/l	-45.00		310
K	434.00 mg/l	400.00 mg/l	34.00		310
Br	54.00 mg/l	62.00 mg/l	-8.00		310
B	3.24 mg/l	4.50 mg/l	-1.26		310
Sr	4.37 mg/l	8.00 mg/l	-3.63		310
S	950.00 mg/l	900.00 mg/l	50.00		310






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Li	114.00 µg/l	200.00 µg/l	-86.00		310
Ni	2.88 µg/l	5.00 µg/l	-2.12		310
Mo	44.00 µg/l	12.00 µg/l	32.00		310



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
V	0.00 µg/l	1.20 µg/l	-1.20		310
Zn	0.00 µg/l	4.00 µg/l	-4.00		310
Mn	0.00 µg/l	2.00 µg/l	-2.00		310
I	48.00 µg/l	60.00 µg/l	-12.00		310


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Cr	0.00 µg/l	0 µg/l	-0.10		310
Co	0.00 µg/l	0 µg/l	-0.10		310
Fe	0.00 µg/l	0 µg/l	-0.10		310

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Ba	75.00 µg/l	10.00 µg/l	65.00		310
Be	0.00 µg/l	0 µg/l	-0.10		310

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Si	281.00 µg/l	100.00 µg/l	181.00		310

Lasse (1112D)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
P	24.00 µg/l	6.00 µg/l	18.00	■	310
PO4	0.073 mg/l	0.018 mg/l	0.055	■	310