
























Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		310
Se	0.00 µg/l	0 µg/l	-0.10		310
Cd	0.00 µg/l	0 µg/l	-0.10		310
Sn	0.00 µg/l	0 µg/l	-0.10		310
Sb	0.00 µg/l	0 µg/l	-0.10		310
As	0.00 µg/l	0 µg/l	-0.10		310
Al	16.63 µg/l	2.00 µg/l	14.63		310
Pb	0.00 µg/l	0 µg/l	-0.10		310
Ti	0.00 µg/l	0 µg/l	-0.10		310
Cu	2.96 µg/l	0 µg/l	2.86		310
La	0.00 µg/l	0 µg/l	-0.10		310
Sc	0.00 µg/l	0 µg/l	-0.10		310
W	0.00 µg/l	0 µg/l	-0.10		310

Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Na	11047.00 mg/l	10700.00 mg/l	347.00		310
Ca	489.00 mg/l	440.00 mg/l	49.00		310
Mg	1349.00 mg/l	1370.00 mg/l	-21.00		310
K	384.00 mg/l	400.00 mg/l	-16.00		310
Br	45.75 mg/l	62.00 mg/l	-16.25		310
B	3.32 mg/l	4.50 mg/l	-1.18		310
Sr	4.59 mg/l	8.00 mg/l	-3.41		310
S	969.00 mg/l	900.00 mg/l	69.00		310



Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Li	164.00 µg/l	200.00 µg/l	-36.00		310
Ni	1.01 µg/l	5.00 µg/l	-3.99		310
Mo	30.70 µg/l	12.00 µg/l	18.70		310

I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
V	0.00 µg/l	1.20 µg/l	-1.20		310
Zn	5.05 µg/l	4.00 µg/l	1.05		310
Mn	0.00 µg/l	2.00 µg/l	-2.00		310
I	8.18 µg/l	60.00 µg/l	-51.82		310

Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Cr	0.00 µg/l	0 µg/l	-0.10		310
Co	0.00 µg/l	0 µg/l	-0.10		310
Fe	0.00 µg/l	0 µg/l	-0.10		310

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Ba	30.47 µg/l	10.00 µg/l	20.47		310
Be	0.00 µg/l	0 µg/l	-0.10		310



Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Si	1071.00 µg/l	100.00 µg/l	971.00		310

Lasse (1112D)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
P	16.50 µg/l	6.00 µg/l	10.50		310
PO4	0.050 mg/l	0.018 mg/l	0.032		310