



Unwanted heavy metals




Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		310
Se	0.00 µg/l	0 µg/l	-0.10		310
Cd	0.00 µg/l	0 µg/l	-0.10		310
Sn	0.00 µg/l	0 µg/l	-0.10		310
Sb	0.00 µg/l	0 µg/l	-0.10		310
As	0.00 µg/l	0 µg/l	-0.10		310
Al	8.40 µg/l	2.00 µg/l	6.40		310
Pb	0.00 µg/l	0 µg/l	-0.10		310
Ti	0.00 µg/l	0 µg/l	-0.10		310
Cu	7.38 µg/l	0 µg/l	7.28		310
La	0.00 µg/l	0 µg/l	-0.10		310
Sc	0.00 µg/l	0 µg/l	-0.10		310
W	0.00 µg/l	0 µg/l	-0.10		310

Macro-Elements





Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Na	10521.00 mg/l	10700.00 mg/l	-179.00		310
Ca	516.00 mg/l	440.00 mg/l	76.00		310
Mg	1327.00 mg/l	1370.00 mg/l	-43.00		310
K	323.00 mg/l	400.00 mg/l	-77.00		310
Br	46.00 mg/l	62.00 mg/l	-16.00		310
B	2.92 mg/l	4.50 mg/l	-1.58		310
Sr	4.60 mg/l	8.00 mg/l	-3.40		310
S	1090.00 mg/l	900.00 mg/l	190.00		310






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Li	130.00 µg/l	200.00 µg/l	-70.00		310
Ni	0.00 µg/l	5.00 µg/l	-5.00		310
Mo	29.00 µg/l	12.00 µg/l	17.00		310



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
V	0.00 µg/l	1.20 µg/l	-1.20		310
Zn	0.00 µg/l	4.00 µg/l	-4.00		310
Mn	0.00 µg/l	2.00 µg/l	-2.00		310
I	40.00 µg/l	60.00 µg/l	-20.00		310


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Cr	0.00 µg/l	0 µg/l	-0.10		310
Co	0.00 µg/l	0 µg/l	-0.10		310
Fe	0.00 µg/l	0 µg/l	-0.10		310

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Ba	35.00 µg/l	10.00 µg/l	25.00		310
Be	0.00 µg/l	0 µg/l	-0.10		310

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Si	7035.00 µg/l	100.00 µg/l	6935.00		310

Lasse (1112D)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
P	18.00 µg/l	6.00 µg/l	12.00	■	310
PO4	0.055 mg/l	0.018 mg/l	0.037	■	310