



Unwanted heavy metals




Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		310
Se	0.00 µg/l	0 µg/l	-0.10		310
Cd	0.00 µg/l	0 µg/l	-0.10		310
Sn	0.00 µg/l	0 µg/l	-0.10		310
Sb	0.00 µg/l	0 µg/l	-0.10		310
As	0.00 µg/l	0 µg/l	-0.10		310
Al	5.32 µg/l	2.00 µg/l	3.32		310
Pb	0.00 µg/l	0 µg/l	-0.10		310
Ti	0.00 µg/l	0 µg/l	-0.10		310
Cu	4.47 µg/l	0 µg/l	4.37		310
La	0.00 µg/l	0 µg/l	-0.10		310
Sc	0.00 µg/l	0 µg/l	-0.10		310
W	0.00 µg/l	0 µg/l	-0.10		310

Macro-Elements





Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Na	11240.00 mg/l	10700.00 mg/l	540.00		310
Ca	483.00 mg/l	440.00 mg/l	43.00		310
Mg	1354.00 mg/l	1370.00 mg/l	-16.00		310
K	353.00 mg/l	400.00 mg/l	-47.00		310
Br	48.00 mg/l	62.00 mg/l	-14.00		310
B	3.07 mg/l	4.50 mg/l	-1.43		310
Sr	5.49 mg/l	8.00 mg/l	-2.51		310
S	998.00 mg/l	900.00 mg/l	98.00		310






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Li	134.00 µg/l	200.00 µg/l	-66.00		310
Ni	0.00 µg/l	5.00 µg/l	-5.00		310
Mo	25.00 µg/l	12.00 µg/l	13.00		310



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
V	0.00 µg/l	1.20 µg/l	-1.20		310
Zn	0.00 µg/l	4.00 µg/l	-4.00		310
Mn	0.00 µg/l	2.00 µg/l	-2.00		310
I	83.00 µg/l	60.00 µg/l	23.00		310


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Cr	0.00 µg/l	0 µg/l	-0.10		310
Co	0.00 µg/l	0 µg/l	-0.10		310
Fe	0.00 µg/l	0 µg/l	-0.10		310

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Ba	44.00 µg/l	10.00 µg/l	34.00		310
Be	0.00 µg/l	0 µg/l	-0.10		310

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Si	4093.00 µg/l	100.00 µg/l	3993.00		310

Lasse (1112D)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
P	13.00 µg/l	6.00 µg/l	7.00	■	310
PO4	0.040 mg/l	0.018 mg/l	0.022	■	310