



## Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		310
Se	0.00 µg/l	0 µg/l	-0.10		310
Cd	0.00 µg/l	0 µg/l	-0.10		310
Sn	0.00 µg/l	0 µg/l	-0.10		310
Sb	0.00 µg/l	0 µg/l	-0.10		310
As	0.00 µg/l	0 µg/l	-0.10		310
Al	77.00 µg/l	2.00 µg/l	75.00		310
Pb	0.00 µg/l	0 µg/l	-0.10		310
Ti	0.00 µg/l	0 µg/l	-0.10		310
Cu	2.89 µg/l	0 µg/l	2.79		310
La	0.00 µg/l	0 µg/l	-0.10		310
Sc	0.00 µg/l	0 µg/l	-0.10		310
W	0.00 µg/l	0 µg/l	-0.10		310

## Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Na	11109.00 mg/l	10700.00 mg/l	409.00		310
Ca	442.00 mg/l	440.00 mg/l	2.00		310
Mg	1382.00 mg/l	1370.00 mg/l	12.00		310
K	399.00 mg/l	400.00 mg/l	-1.00		310
Br	66.00 mg/l	62.00 mg/l	4.00		310
B	3.31 mg/l	4.50 mg/l	-1.19		310
Sr	2.39 mg/l	8.00 mg/l	-5.61		310
S	1050.00 mg/l	900.00 mg/l	150.00		310





## Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Li	149.00 µg/l	200.00 µg/l	-51.00		310
Ni	1.31 µg/l	5.00 µg/l	-3.69		310
Mo	7.83 µg/l	12.00 µg/l	-4.17		310

## I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
V	0.00 µg/l	1.20 µg/l	-1.20		310
Zn	0.00 µg/l	4.00 µg/l	-4.00		310
Mn	0.00 µg/l	2.00 µg/l	-2.00		310
I	47.00 µg/l	60.00 µg/l	-13.00		310

## Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Cr	0.00 µg/l	0 µg/l	-0.10		310
Co	0.00 µg/l	0 µg/l	-0.10		310
Fe	0.00 µg/l	0 µg/l	-0.10		310

## Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Ba	7.89 µg/l	10.00 µg/l	-2.11		310
Be	0.00 µg/l	0 µg/l	-0.10		310

## Si-Group



Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Si	281.00 µg/l	100.00 µg/l	181.00		310



## Lasse (1112D)



### Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
P	45.00 µg/l	6.00 µg/l	39.00		310
PO4	0.138 mg/l	0.018 mg/l	0.120		310