



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		310
Se	0.00 µg/l	0 µg/l	-0.10		310
Cd	0.00 µg/l	0 µg/l	-0.10		310
Sn	0.00 µg/l	0 µg/l	-0.10		310
Sb	0.00 µg/l	0 µg/l	-0.10		310
As	0.00 µg/l	0 µg/l	-0.10		310
Al	34.00 µg/l	2.00 µg/l	32.00		310
Pb	0.00 µg/l	0 µg/l	-0.10		310
Ti	0.00 µg/l	0 µg/l	-0.10		310
Cu	0.00 µg/l	0 µg/l	-0.10		310
La	0.00 µg/l	0 µg/l	-0.10		310
Sc	0.00 µg/l	0 µg/l	-0.10		310
W	0.00 µg/l	0 µg/l	-0.10		310

Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Na	10771.00 mg/l	10700.00 mg/l	71.00		310
Ca	437.00 mg/l	440.00 mg/l	-3.00		310
Mg	1361.00 mg/l	1370.00 mg/l	-9.00		310
K	403.00 mg/l	400.00 mg/l	3.00		310
Br	59.00 mg/l	62.00 mg/l	-3.00		310
B	4.13 mg/l	4.50 mg/l	-0.37		310
Sr	2.28 mg/l	8.00 mg/l	-5.72		310
S	1043.00 mg/l	900.00 mg/l	143.00		310



Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Li	143.00 µg/l	200.00 µg/l	-57.00		310
Ni	1.54 µg/l	5.00 µg/l	-3.46		310
Mo	3.76 µg/l	12.00 µg/l	-8.24		310

I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
V	0.00 µg/l	1.20 µg/l	-1.20		310
Zn	1.44 µg/l	4.00 µg/l	-2.56		310
Mn	0.00 µg/l	2.00 µg/l	-2.00		310
I	38.00 µg/l	60.00 µg/l	-22.00		310

Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Cr	0.00 µg/l	0 µg/l	-0.10		310
Co	0.00 µg/l	0 µg/l	-0.10		310
Fe	0.00 µg/l	0 µg/l	-0.10		310

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Ba	7.96 µg/l	10.00 µg/l	-2.04		310
Be	0.00 µg/l	0 µg/l	-0.10		310

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Si	126.00 µg/l	100.00 µg/l	26.00		310

Lasse (1112D)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
P	53.00 µg/l	6.00 µg/l	47.00	■	310
PO4	0.162 mg/l	0.018 mg/l	0.144	■	310