



Unwanted heavy metals




Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		310
Se	0.00 µg/l	0 µg/l	-0.10		310
Cd	0.00 µg/l	0 µg/l	-0.10		310
Sn	0.00 µg/l	0 µg/l	-0.10		310
Sb	0.00 µg/l	0 µg/l	-0.10		310
As	0.00 µg/l	0 µg/l	-0.10		310
Al	104.00 µg/l	2.00 µg/l	102.00		310
Pb	0.00 µg/l	0 µg/l	-0.10		310
Ti	0.00 µg/l	0 µg/l	-0.10		310
Cu	3.71 µg/l	0 µg/l	3.61		310
La	0.00 µg/l	0 µg/l	-0.10		310
Sc	0.00 µg/l	0 µg/l	-0.10		310
W	0.00 µg/l	0 µg/l	-0.10		310

Macro-Elements





Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Na	11324.00 mg/l	10700.00 mg/l	624.00		310
Ca	454.00 mg/l	440.00 mg/l	14.00		310
Mg	1423.00 mg/l	1370.00 mg/l	53.00		310
K	425.00 mg/l	400.00 mg/l	25.00		310
Br	66.00 mg/l	62.00 mg/l	4.00		310
B	4.00 mg/l	4.50 mg/l	-0.50		310
Sr	6.40 mg/l	8.00 mg/l	-1.60		310
S	1063.00 mg/l	900.00 mg/l	163.00		310






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Li	189.00 µg/l	200.00 µg/l	-11.00		310
Ni	2.87 µg/l	5.00 µg/l	-2.13		310
Mo	8.70 µg/l	12.00 µg/l	-3.30		310



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
V	0.00 µg/l	1.20 µg/l	-1.20		310
Zn	2.02 µg/l	4.00 µg/l	-1.98		310
Mn	0.00 µg/l	2.00 µg/l	-2.00		310
I	58.00 µg/l	60.00 µg/l	-2.00		310


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Cr	0.00 µg/l	0 µg/l	-0.10		310
Co	0.00 µg/l	0 µg/l	-0.10		310
Fe	0.00 µg/l	0 µg/l	-0.10		310

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Ba	7.71 µg/l	10.00 µg/l	-2.29		310
Be	0.00 µg/l	0 µg/l	-0.10		310

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Si	361.00 µg/l	100.00 µg/l	261.00		310

Lasse (1112D)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
P	10.00 µg/l	6.00 µg/l	4.00	■	310
PO4	0.031 mg/l	0.018 mg/l	0.013	■	310