





















Unwanted heavy metals

| Element | Analysis | Setpoint | Deviation | Warning lamp | Liter |
|---------|------------|-----------|-----------|---|-------|
| Hg | 0.00 µg/l | 0 µg/l | -0.10 |  | 310 |
| Se | 0.00 µg/l | 0 µg/l | -0.10 |  | 310 |
| Cd | 0.00 µg/l | 0 µg/l | -0.10 |  | 310 |
| Sn | 0.00 µg/l | 0 µg/l | -0.10 |  | 310 |
| Sb | 0.00 µg/l | 0 µg/l | -0.10 |  | 310 |
| As | 0.00 µg/l | 0 µg/l | -0.10 |  | 310 |
| Al | 86.00 µg/l | 2.00 µg/l | 84.00 |  | 310 |
| Pb | 0.00 µg/l | 0 µg/l | -0.10 |  | 310 |
| Ti | 0.00 µg/l | 0 µg/l | -0.10 |  | 310 |
| Cu | 0.00 µg/l | 0 µg/l | -0.10 |  | 310 |
| La | 0.00 µg/l | 0 µg/l | -0.10 |  | 310 |
| Sc | 0.00 µg/l | 0 µg/l | -0.10 |  | 310 |
| W | 0.00 µg/l | 0 µg/l | -0.10 |  | 310 |

Macro-Elements

| Element | Analysis | Setpoint | Deviation | Warning lamp | Liter |
|---------|---------------|---------------|-----------|---|-------|
| Na | 10747.00 mg/l | 10700.00 mg/l | 47.00 |  | 310 |
| Ca | 448.00 mg/l | 440.00 mg/l | 8.00 |  | 310 |
| Mg | 1344.00 mg/l | 1370.00 mg/l | -26.00 |  | 310 |
| K | 422.00 mg/l | 400.00 mg/l | 22.00 |  | 310 |
| Br | 68.00 mg/l | 62.00 mg/l | 6.00 |  | 310 |
| B | 4.26 mg/l | 4.50 mg/l | -0.24 |  | 310 |
| Sr | 3.71 mg/l | 8.00 mg/l | -4.29 |  | 310 |
| S | 1056.00 mg/l | 900.00 mg/l | 156.00 |  | 310 |



Li-Group

| Element | Analysis | Setpoint | Deviation | Warning lamp | Liter |
|---------|-------------|-------------|-----------|--------------|-------|
| Li | 143.00 µg/l | 200.00 µg/l | -57.00 | | 310 |
| Ni | 0.00 µg/l | 5.00 µg/l | -5.00 | | 310 |
| Mo | 2.69 µg/l | 12.00 µg/l | -9.31 | | 310 |

I-Group

| Element | Analysis | Setpoint | Deviation | Warning lamp | Liter |
|---------|------------|------------|-----------|--------------|-------|
| V | 0.00 µg/l | 1.20 µg/l | -1.20 | | 310 |
| Zn | 0.00 µg/l | 4.00 µg/l | -4.00 | | 310 |
| Mn | 0.00 µg/l | 2.00 µg/l | -2.00 | | 310 |
| I | 18.00 µg/l | 60.00 µg/l | -42.00 | | 310 |

Fe-Group

| Element | Analysis | Setpoint | Deviation | Warning lamp | Liter |
|---------|-----------|----------|-----------|--------------|-------|
| Cr | 0.00 µg/l | 0 µg/l | -0.10 | | 310 |
| Co | 0.00 µg/l | 0 µg/l | -0.10 | | 310 |
| Fe | 0.00 µg/l | 0 µg/l | -0.10 | | 310 |

Ba-Group

| Element | Analysis | Setpoint | Deviation | Warning lamp | Liter |
|---------|------------|------------|-----------|--------------|-------|
| Ba | 15.00 µg/l | 10.00 µg/l | 5.00 | | 310 |
| Be | 0.00 µg/l | 0 µg/l | -0.10 | | 310 |



Si-Group

| Element | Analysis | Setpoint | Deviation | Warning lamp | Liter |
|---------|-------------|-------------|-----------|--------------|-------|
| Si | 266.00 µg/l | 100.00 µg/l | 166.00 | | 310 |

Lasse (1112D)



Nutrient-Group

| Element | Analysis | Setpoint | Deviation | Warning lamp | Liter |
|---------|------------|------------|-----------|---|-------|
| P | 5.93 µg/l | 6.00 µg/l | -0.07 |  | 310 |
| PO4 | 0.018 mg/l | 0.018 mg/l | 0.000 |  | 310 |