






















200 Gallon (29582B)



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		200
Se	0.00 µg/l	0 µg/l	-0.10		200
Cd	0.00 µg/l	0 µg/l	-0.10		200
Sn	15.00 µg/l	0 µg/l	14.90		200
Sb	0.00 µg/l	0 µg/l	-0.10		200
As	0.00 µg/l	0 µg/l	-0.10		200
Al	159.00 µg/l	2.00 µg/l	157.00		200
Pb	0.00 µg/l	0 µg/l	-0.10		200
Ti	0.00 µg/l	0 µg/l	-0.10		200
Cu	41.00 µg/l	0 µg/l	40.90		200
La	0.00 µg/l	0 µg/l	-0.10		200
Sc	0.00 µg/l	0 µg/l	-0.10		200
W	0.00 µg/l	0 µg/l	-0.10		200




Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	9862.00 mg/l	10700.00 mg/l	-838.00		200
Ca	451.00 mg/l	440.00 mg/l	11.00		200
Mg	1362.00 mg/l	1370.00 mg/l	-8.00		200
K	360.00 mg/l	400.00 mg/l	-40.00		200
Br	73.00 mg/l	62.00 mg/l	11.00		200
B	4.71 mg/l	4.50 mg/l	0.21		200
Sr	10.00 mg/l	8.00 mg/l	2.00		200
S	817.00 mg/l	900.00 mg/l	-83.00		200





200 Gallon (29582B)






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	297.00 µg/l	200.00 µg/l	97.00		200
Ni	3.89 µg/l	5.00 µg/l	-1.11		200
Mo	5.34 µg/l	12.00 µg/l	-6.66		200



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	14.00 µg/l	1.20 µg/l	12.80		200
Zn	43.00 µg/l	4.00 µg/l	39.00		200
Mn	0.00 µg/l	2.00 µg/l	-2.00		200
I	143.00 µg/l	60.00 µg/l	83.00		200

Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	8.25 µg/l	0 µg/l	8.15		200
Co	0.00 µg/l	0 µg/l	-0.10		200
Fe	4.63 µg/l	0 µg/l	4.53		200

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	33.00 µg/l	10.00 µg/l	23.00		200
Be	0.00 µg/l	0 µg/l	-0.10		200



Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	76.00 µg/l	100.00 µg/l	-24.00		200

200 Gallon (29582B)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	18.00 µg/l	6.00 µg/l	12.00		200
PO4	0.055 mg/l	0.018 mg/l	0.037		200