






Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		310
Se	0.00 µg/l	0 µg/l	-0.10		310
Cd	0.00 µg/l	0 µg/l	-0.10		310
Sn	0.00 µg/l	0 µg/l	-0.10		310
Sb	0.00 µg/l	0 µg/l	-0.10		310
As	0.00 µg/l	0 µg/l	-0.10		310
Al	24.00 µg/l	2.00 µg/l	22.00		310
Pb	0.00 µg/l	0 µg/l	-0.10		310
Ti	0.00 µg/l	0 µg/l	-0.10		310
Cu	0.00 µg/l	0 µg/l	-0.10		310
La	0.00 µg/l	0 µg/l	-0.10		310
Sc	0.00 µg/l	0 µg/l	-0.10		310
W	0.00 µg/l	0 µg/l	-0.10		310





Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Na	11000.00 mg/l	10700.00 mg/l	300.00		310
Ca	429.00 mg/l	440.00 mg/l	-11.00		310
Mg	1331.00 mg/l	1370.00 mg/l	-39.00		310
K	439.00 mg/l	400.00 mg/l	39.00		310
Br	69.00 mg/l	62.00 mg/l	7.00		310
B	4.17 mg/l	4.50 mg/l	-0.33		310
Sr	4.42 mg/l	8.00 mg/l	-3.58		310
S	1034.00 mg/l	900.00 mg/l	134.00		310




**Li-Group**

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Li	178.00 µg/l	200.00 µg/l	-22.00		310
Ni	0.00 µg/l	5.00 µg/l	-5.00		310
Mo	2.75 µg/l	12.00 µg/l	-9.25		310



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
V	0.00 µg/l	1.20 µg/l	-1.20		310
Zn	0.00 µg/l	4.00 µg/l	-4.00		310
Mn	0.00 µg/l	2.00 µg/l	-2.00		310
I	18.00 µg/l	60.00 µg/l	-42.00		310


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Cr	0.00 µg/l	0 µg/l	-0.10		310
Co	0.00 µg/l	0 µg/l	-0.10		310
Fe	0.00 µg/l	0 µg/l	-0.10		310

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Ba	17.00 µg/l	10.00 µg/l	7.00		310
Be	0.00 µg/l	0 µg/l	-0.10		310



Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Si	183.00 µg/l	100.00 µg/l	83.00		310

Lasse (1112D)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
P	12.00 µg/l	6.00 µg/l	6.00		310
PO4	0.037 mg/l	0.018 mg/l	0.019		310