



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		310
Se	0.00 µg/l	0 µg/l	-0.10		310
Cd	0.00 µg/l	0 µg/l	-0.10		310
Sn	0.00 µg/l	0 µg/l	-0.10		310
Sb	0.00 µg/l	0 µg/l	-0.10		310
As	0.00 µg/l	0 µg/l	-0.10		310
Al	14.00 µg/l	2.00 µg/l	12.00		310
Pb	0.00 µg/l	0 µg/l	-0.10		310
Ti	0.00 µg/l	0 µg/l	-0.10		310
Cu	0.00 µg/l	0 µg/l	-0.10		310
La	0.00 µg/l	0 µg/l	-0.10		310
Sc	0.00 µg/l	0 µg/l	-0.10		310
W	0.00 µg/l	0 µg/l	-0.10		310

Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Na	10725.00 mg/l	10700.00 mg/l	25.00		310
Ca	423.00 mg/l	440.00 mg/l	-17.00		310
Mg	1310.00 mg/l	1370.00 mg/l	-60.00		310
K	402.00 mg/l	400.00 mg/l	2.00		310
Br	59.00 mg/l	62.00 mg/l	-3.00		310
B	3.43 mg/l	4.50 mg/l	-1.07		310
Sr	4.03 mg/l	8.00 mg/l	-3.97		310
S	951.00 mg/l	900.00 mg/l	51.00		310



Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Li	149.00 µg/l	200.00 µg/l	-51.00		310
Ni	0.58 µg/l	5.00 µg/l	-4.42		310
Mo	5.20 µg/l	12.00 µg/l	-6.80		310

I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
V	0.00 µg/l	1.20 µg/l	-1.20		310
Zn	0.00 µg/l	4.00 µg/l	-4.00		310
Mn	0.00 µg/l	2.00 µg/l	-2.00		310
I	36.00 µg/l	60.00 µg/l	-24.00		310

Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Cr	0.00 µg/l	0 µg/l	-0.10		310
Co	0.00 µg/l	0 µg/l	-0.10		310
Fe	0.00 µg/l	0 µg/l	-0.10		310

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Ba	11.00 µg/l	10.00 µg/l	1.00		310
Be	0.00 µg/l	0 µg/l	-0.10		310

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Si	242.00 µg/l	100.00 µg/l	142.00		310

Lasse (1112D)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
P	20.00 µg/l	6.00 µg/l	14.00	■	310
PO4	0.061 mg/l	0.018 mg/l	0.043	■	310