













# REEFER 250 (15185B)



## Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		225
Se	0.00 µg/l	0 µg/l	-0.10		225
Cd	0.00 µg/l	0 µg/l	-0.10		225
Sn	8.98 µg/l	0 µg/l	8.88		225
Sb	0.00 µg/l	0 µg/l	-0.10		225
As	0.00 µg/l	0 µg/l	-0.10		225
Al	146.00 µg/l	2.00 µg/l	144.00		225
Pb	0.00 µg/l	0 µg/l	-0.10		225
Ti	0.00 µg/l	0 µg/l	-0.10		225
Cu	0.00 µg/l	0 µg/l	-0.10		225
La	0.00 µg/l	0 µg/l	-0.10		225
Sc	0.00 µg/l	0 µg/l	-0.10		225
W	0.00 µg/l	0 µg/l	-0.10		225




## Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Na	11018.00 mg/l	10700.00 mg/l	318.00		225
Ca	412.00 mg/l	440.00 mg/l	-28.00		225
Mg	1405.00 mg/l	1370.00 mg/l	35.00		225
K	417.00 mg/l	400.00 mg/l	17.00		225
Br	64.00 mg/l	62.00 mg/l	2.00		225
B	6.33 mg/l	4.50 mg/l	1.83		225
Sr	7.74 mg/l	8.00 mg/l	-0.26		225
S	985.00 mg/l	900.00 mg/l	85.00		225





# REEFER 250 (15185B)






## Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Li	30.00 µg/l	200.00 µg/l	-170.00		225
Ni	0.00 µg/l	5.00 µg/l	-5.00		225
Mo	13.00 µg/l	12.00 µg/l	1.00		225



## I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
V	0.00 µg/l	1.20 µg/l	-1.20		225
Zn	0.00 µg/l	4.00 µg/l	-4.00		225
Mn	0.00 µg/l	2.00 µg/l	-2.00		225
I	0.00 µg/l	60.00 µg/l	-60.00		225


## Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Cr	0.00 µg/l	0 µg/l	-0.10		225
Co	0.00 µg/l	0 µg/l	-0.10		225
Fe	0.00 µg/l	0 µg/l	-0.10		225

## Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Ba	19.00 µg/l	10.00 µg/l	9.00		225
Be	0.00 µg/l	0 µg/l	-0.10		225



## Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Si	338.00 µg/l	100.00 µg/l	238.00		225

# REEFER 250 (15185B)



## Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
P	2.63 µg/l	6.00 µg/l	-3.37		225
PO4	0.008 mg/l	0.018 mg/l	-0.010		225