


Unwanted heavy metals

	Analysis	Setpoint	Warning
(Hg) Mercury	0.00 µg/l	0 µg/l	■
(Se) Selenium	0.00 µg/l	0 µg/l	■
(Cd) Cadmium	0.00 µg/l	0 µg/l	■
(Sn) Tin	0.00 µg/l	0 µg/l	■
(Sb) Antimony	0.00 µg/l	0 µg/l	■
(As) Arsenic	0.00 µg/l	0 µg/l	■
(Al) Aluminium	21.00 µg/l	0 - 60 µg/l	■
(Pb) Lead	0.00 µg/l	0 µg/l	■
(Ti) Titanium	0.00 µg/l	0 µg/l	■
(Cu) Copper	0.00 µg/l	0 µg/l	■
(La) Lanthanum	0.00 µg/l	0 µg/l	■
(Sc) Scandium	0.00 µg/l	0 µg/l	■
(W) Tungsten	0.00 µg/l	0 µg/l	■


Macro-Elements

	Analysis	Setpoint	Warning
(Na) Sodium	10346.00 mg/l	10000 - 11300 mg/l	■
(Ca) Calcium	442.00 mg/l	415 - 520 mg/l	■
(Mg) Magnesium	1281.00 mg/l	1320 - 1500 mg/l	■
(K) Potassium	377.00 mg/l	380 - 480 mg/l	■
(Br) Bromide	54.00 mg/l	62 mg/l	■
(B) Boron	3.82 mg/l	4.5 mg/l	■
(Sr) Strontium	7.17 mg/l	8 - 12 mg/l	■
(S) Sulphur	881.00 mg/l	900 mg/l	■



Li-Group

	Analysis	Setpoint	Warning
(Li) Lithium	181.00 µg/l	200 µg/l	■
(Ni) Nickel	1.61 µg/l	5 µg/l	■
(Mo) Molybdenum	8.95 µg/l	12 µg/l	■



I-Group

	Analysis	Setpoint	Warning
(V) Vanadium	0.00 µg/l	0 - 3 µg/l	■
(Zn) Zinc	3.17 µg/l	0 - 5 µg/l	■
(Mn) Manganese	0.00 µg/l	0 - 3 µg/l	■
(I) Iodine	0.00 µg/l	30 - 90 µg/l	■



Fe-Group

	Analysis	Setpoint	Warning
(Cr) Chromium	0.00 µg/l	0 µg/l	■
(Co) Cobalt	0.00 µg/l	0 µg/l	■
(Fe) Iron	0.00 µg/l	0 µg/l	■

Ba-Group

	Analysis	Setpoint	Warning
(Ba) Barium	17.00 µg/l	0 - 10 µg/l	■
(Be) Beryllium	0.00 µg/l	0 µg/l	■

Si-Group

	Analysis	Setpoint	Warning
(Si) Silicon	157.00 $\mu\text{g/l}$	0 - 200 $\mu\text{g/l}$	■

Nutrient-Group

	Analysis	Setpoint	Warning
(P) Phosphorus	9.87 $\mu\text{g/l}$	6 - 23 $\mu\text{g/l}$	■
(PO4) Phosphate	0.030 mg/l	0.018 - 0.07 mg/l	■

