






















REEEFER 525 (15185A)



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		500
Se	0.00 µg/l	0 µg/l	-0.10		500
Cd	0.00 µg/l	0 µg/l	-0.10		500
Sn	1.84 µg/l	0 µg/l	1.74		500
Sb	0.00 µg/l	0 µg/l	-0.10		500
As	0.00 µg/l	0 µg/l	-0.10		500
Al	199.00 µg/l	2.00 µg/l	197.00		500
Pb	0.00 µg/l	0 µg/l	-0.10		500
Ti	0.00 µg/l	0 µg/l	-0.10		500
Cu	0.00 µg/l	0 µg/l	-0.10		500
La	0.00 µg/l	0 µg/l	-0.10		500
Sc	0.00 µg/l	0 µg/l	-0.10		500
W	0.00 µg/l	0 µg/l	-0.10		500

Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Na	11019.00 mg/l	10700.00 mg/l	319.00		500
Ca	418.00 mg/l	440.00 mg/l	-22.00		500
Mg	1405.00 mg/l	1370.00 mg/l	35.00		500
K	419.00 mg/l	400.00 mg/l	19.00		500
Br	65.00 mg/l	62.00 mg/l	3.00		500
B	5.92 mg/l	4.50 mg/l	1.42		500
Sr	8.13 mg/l	8.00 mg/l	0.13		500
S	969.00 mg/l	900.00 mg/l	69.00		500

REEEFER 525 (15185A)



Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Li	41.00 µg/l	200.00 µg/l	-159.00		500
Ni	0.00 µg/l	5.00 µg/l	-5.00		500
Mo	24.00 µg/l	12.00 µg/l	12.00		500

I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
V	0.00 µg/l	1.20 µg/l	-1.20		500
Zn	0.00 µg/l	4.00 µg/l	-4.00		500
Mn	0.00 µg/l	2.00 µg/l	-2.00		500
I	8.95 µg/l	60.00 µg/l	-51.05		500

Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Cr	0.00 µg/l	0 µg/l	-0.10		500
Co	0.00 µg/l	0 µg/l	-0.10		500
Fe	0.00 µg/l	0 µg/l	-0.10		500

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Ba	2.62 µg/l	10.00 µg/l	-7.38		500
Be	0.00 µg/l	0 µg/l	-0.10		500



Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Si	379.00 µg/l	100.00 µg/l	279.00		500

REEEFER 525 (15185A)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
P	20.00 µg/l	6.00 µg/l	14.00		500
PO4	0.061 mg/l	0.018 mg/l	0.043		500