


## 560 Gallons - 08/12/2021 (B-0DN2Zn)

### Unwanted heavy metals

Element	Analysis	Setpoint	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	■	360
Se	0.00 µg/l	0 µg/l	■	360
Cd	0.00 µg/l	0 µg/l	■	360
Sn	0.00 µg/l	0 µg/l	■	360
Sb	0.00 µg/l	0 µg/l	■	360
As	0.00 µg/l	0 µg/l	■	360
Al	4.78 µg/l	0 - 60 µg/l	■	360
Pb	0.00 µg/l	0 µg/l	■	360
Ti	0.00 µg/l	0 µg/l	■	360
Cu	0.00 µg/l	0 µg/l	■	360
La	0.00 µg/l	0 µg/l	■	360
Sc	0.00 µg/l	0 µg/l	■	360
W	0.00 µg/l	0 µg/l	■	360







### Macro-Elements

Element	Analysis	Setpoint	Warning lamp	Gallons
Na	11212.00 mg/l	10000 - 11300 mg/l	■	360
Ca	451.00 mg/l	415 - 520 mg/l	■	360
Mg	1453.00 mg/l	1320 - 1500 mg/l	■	360
K	718.00 mg/l	380 - 480 mg/l	■	360
Br	82.00 mg/l	62 mg/l	■	360
B	5.60 mg/l	4.5 mg/l	■	360
Sr	9.02 mg/l	8 - 12 mg/l	■	360
S	974.00 mg/l	900 mg/l	■	360





## 560 Gallons - 08/12/2021 (B-0DN2Zn)

### Li-Group




Element	Analysis	Setpoint	Warning lamp	Gallons
Li	248.00 µg/l	200 µg/l		360
Ni	1.67 µg/l	5 µg/l		360
Mo	11.00 µg/l	12 µg/l		360





### I-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
V	0.00 µg/l	0 - 3 µg/l		360
Zn	3.08 µg/l	0 - 5 µg/l		360
Mn	1.35 µg/l	0 - 3 µg/l		360
I	77.00 µg/l	30 - 90 µg/l		360

### Fe-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l		360
Co	1.61 µg/l	0 µg/l		360
Fe	5.62 µg/l	0 µg/l		360

### Ba-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Ba	47.00 µg/l	0 - 10 µg/l		360
Be	0.00 µg/l	0 µg/l		360

### Si-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Si	68.00 µg/l	0 - 200 µg/l		360

**560 Gallons - 08/12/2021 (B-0DN2Zn)**

## Nutrient-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
P	8.64 µg/l	6 - 23 µg/l	<div><div></div></div>	360
PO4	0.026 mg/l	0.018 - 0.07 mg/l	<div><div></div></div>	360

