






















# Mango Reef (16080A)



## Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		50
Se	0.00 µg/l	0 µg/l	-0.10		50
Cd	0.00 µg/l	0 µg/l	-0.10		50
Sn	12.00 µg/l	0 µg/l	11.90		50
Sb	0.00 µg/l	0 µg/l	-0.10		50
As	0.00 µg/l	0 µg/l	-0.10		50
Al	0.00 µg/l	2.00 µg/l	-2.00		50
Pb	0.00 µg/l	0 µg/l	-0.10		50
Ti	0.00 µg/l	0 µg/l	-0.10		50
Cu	0.00 µg/l	0 µg/l	-0.10		50
La	0.00 µg/l	0 µg/l	-0.10		50
Sc	0.00 µg/l	0 µg/l	-0.10		50
W	0.00 µg/l	0 µg/l	-0.10		50




## Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	10142.00 mg/l	10700.00 mg/l	-558.00		50
Ca	572.00 mg/l	440.00 mg/l	132.00		50
Mg	1355.00 mg/l	1370.00 mg/l	-15.00		50
K	395.00 mg/l	400.00 mg/l	-5.00		50
Br	63.00 mg/l	62.00 mg/l	1.00		50
B	3.60 mg/l	4.50 mg/l	-0.90		50
Sr	7.03 mg/l	8.00 mg/l	-0.97		50
S	947.00 mg/l	900.00 mg/l	47.00		50





# Mango Reef (16080A)






## Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	317.00 µg/l	200.00 µg/l	117.00		50
Ni	0.00 µg/l	5.00 µg/l	-5.00		50
Mo	2.69 µg/l	12.00 µg/l	-9.31		50



## I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		50
Zn	0.00 µg/l	4.00 µg/l	-4.00		50
Mn	0.00 µg/l	2.00 µg/l	-2.00		50
I	38.00 µg/l	60.00 µg/l	-22.00		50


## Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		50
Co	0.00 µg/l	0 µg/l	-0.10		50
Fe	0.00 µg/l	0 µg/l	-0.10		50

## Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	1.91 µg/l	10.00 µg/l	-8.09		50
Be	0.00 µg/l	0 µg/l	-0.10		50



## Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	358.00 µg/l	100.00 µg/l	258.00		50

## Mango Reef (16080A)



### Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	9.45 µg/l	6.00 µg/l	3.45		50
PO4	0.029 mg/l	0.018 mg/l	0.011		50