


## 92 Corner - 10/15/2021 (B-oQXxR5)

### Unwanted heavy metals

Element	Analysis	Setpoint	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	■	92
Se	0.00 µg/l	0 µg/l	■	92
Cd	0.00 µg/l	0 µg/l	■	92
Sn	98.00 µg/l	0 µg/l	■	92
Sb	0.00 µg/l	0 µg/l	■	92
As	0.00 µg/l	0 µg/l	■	92
Al	0.00 µg/l	0 - 60 µg/l	■	92
Pb	0.00 µg/l	0 µg/l	■	92
Ti	0.00 µg/l	0 µg/l	■	92
Cu	0.00 µg/l	0 µg/l	■	92
La	0.00 µg/l	0 µg/l	■	92
Sc	0.00 µg/l	0 µg/l	■	92
W	0.00 µg/l	0 µg/l	■	92







### Macro-Elements

Element	Analysis	Setpoint	Warning lamp	Gallons
Na	10801.00 mg/l	10000 - 11300 mg/l	■	92
Ca	422.00 mg/l	415 - 520 mg/l	■	92
Mg	1488.00 mg/l	1320 - 1500 mg/l	■	92
K	417.00 mg/l	380 - 480 mg/l	■	92
Br	88.00 mg/l	62 mg/l	■	92
B	4.73 mg/l	4.5 mg/l	■	92
Sr	8.57 mg/l	8 - 12 mg/l	■	92
S	919.00 mg/l	900 mg/l	■	92





## 92 Corner - 10/15/2021 (B-oQXxR5)

### Li-Group




Element	Analysis	Setpoint	Warning lamp	Gallons
Li	423.00 µg/l	200 µg/l		92
Ni	0.00 µg/l	5 µg/l		92
Mo	3.64 µg/l	12 µg/l		92





### I-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
V	0.00 µg/l	0 - 3 µg/l		92
Zn	0.00 µg/l	0 - 5 µg/l		92
Mn	0.00 µg/l	0 - 3 µg/l		92
I	346.00 µg/l	30 - 90 µg/l		92

### Fe-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l		92
Co	0.00 µg/l	0 µg/l		92
Fe	0.00 µg/l	0 µg/l		92

### Ba-Group



Element	Analysis	Setpoint	Warning lamp	Gallons
Ba	21.00 µg/l	0 - 10 µg/l		92
Be	0.00 µg/l	0 µg/l		92

### Si-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Si	162.00 µg/l	0 - 200 µg/l		92

## 92 Corner - 10/15/2021 (B-oQXxR5)

### Nutrient-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
P	52.00 µg/l	6 - 23 µg/l		92
PO4	0.159 mg/l	0.018 - 0.07 mg/l		92

