



User: Stefan Whiting  
Analysis ID: 189580

Tank ID: 65725

Date: 23.08.2022

Base elements	Value	Ideal value	Difference	Status
Salinity	n.u	35.00 PSU		↓

Carbonate hardness	n.u	7.50 °dKH		↓
--------------------	-----	-----------	--	---

Major elements	Value	Ideal value	Difference	Status
Chloride	n.u	n.u mg/l		✓
Sodium	n.u	n.u mg/l		✓
Magnesium	n.u	n.u mg/l		✓
Sulfur	n.u	n.u mg/l		✓
Calcium	n.u	n.u mg/l		✓
Potassium	n.u	n.u mg/l		✓
Bromine	n.u	n.u mg/l		✓
Strontium	n.u	n.u mg/l		✓
Boron	n.u	n.u mg/l		✓
Fluorine	n.u	n.u mg/l		✓

Minor elements	Value	Ideal value	Difference	Status
Lithium	n.u	n.u µg/l		✓
Silicon	909.4 µg/l	n.u µg/l	+909.4 µg/l	↑
Iodine	n.u	n.u µg/l		✓
Barium	n.u	n.u µg/l		✓
Molybdenum	n.u	n.u µg/l		✓
Nickel	n.u	n.u µg/l		✓



User: Stefan Whiting  
Analysis ID: 189580

Tank ID: 65725

Date: 23.08.2022

Manganese	n.u	n.u µg/l		✓
Arsenic	n.u	n.u µg/l		✓
Beryllium	n.u	n.u µg/l		✓
Chrome	n.u	n.u µg/l		✓
Cobalt	n.u	n.u µg/l		✓
Iron	n.u	n.u µg/l		✓
Copper	n.u	n.u µg/l		✓
Selenium	n.u	n.u µg/l		✓
Silver	n.u	n.u µg/l		✓
Vanadium	n.u	n.u µg/l		✓
Zinc	1.50 µg/l	n.u µg/l	+1.50 µg/l	↑
Tin	n.u	n.u µg/l		✓

Nutrients	Value	Ideal value	Difference	Status
Nitrate	n.u	2.00 mg/l		✘
Phosphorus	n.u	n.u µg/l		✓
Phosphate	n.u	n.u mg/l		✓

Pollutants	Value	Ideal value	Difference	Status
Aluminium	n.u	n.u µg/l		✓
Antimony	n.u	n.u µg/l		✓
Bismuth	n.u	n.u µg/l		✓
Lead	n.u	n.u µg/l		✓
Cadmium	n.u	n.u µg/l		✓



User: Stefan Whiting  
Analysis ID: 189580

Tank ID: 65725

Date: 23.08.2022

Lanthanum	n.u	n.u µg/l	✓
Thallium	n.u	n.u µg/l	✓
Titanium	n.u	n.u µg/l	✓
Tungsten	n.u	n.u µg/l	✓
Mercury	n.u	n.u µg/l	✓



User: Stefan Whiting  
Analysis ID: 189580

Tank ID: 65725

Date: 23.08.2022

#### Recommendations:

Supplement	Priority	Action	Daily dosis	Unit	Days

Additional action: We recommend a KH of 7 - 9 °dKH

Additional action: change 3 x 20 % of water with natural seawater or "Absolute Ocean"  
(weekly cycle)