

Test results: Salt water

SAMPLE	167313
TANK NAME	Elvir reef

FINISH DATE	2023-11-09
LAB REMARKS	-

MICRONUTRIENTS

Element	Result mg/l (ppm)	Recommended level mg/l (ppm)
Ba	0.0059	0.0010 - 0.0400
Be	0	0 - 0.0050
Co	0.0004	0.0001 - 0.0006
Cr	0	0.0001 - 0.0004
Fe	0.0051	0.0020 - 0.0060
I	0.2280	0.0550 - 0.0700
Li	0.2090	0.1500 - 0.2000
Mn	0.0007	0.0001 - 0.0022
Mo	0.0120	0.0045 - 0.0120
Ni	0	0.0010 - 0.0100
Si	0.1260	0.0200 - 2.9000
V	0.0009	0.0001 - 0.0025
Zn	0.0025	0.0010 - 0.0070

POLLUTANTS

Element	Result mg/l (ppm)	Recommended level mg/l (ppm)
Al	0.0147	0 - 0.0100
As	0	0 - 0.0030
Cd	0	0 - 0.0002
Cu	0.0026	0 - 0.0012
Hg	0	0 - 0.0050
La	0	0 - 0.0050
Pb	0	0
Sb	0	0 - 0.0005
Sc	0	0 - 0.0050
Se	0	0 - 0.0015
Sn	0	0 - 0.0010
Ti	0	0 - 0.0100
W	0	0 - 0.0050

MAINELEMENTS

Element	Result mg/l (ppm)	Recommended level mg/l (ppm)
B	3.76	4.05 - 5.00
Na	9950	9720 - 11880
Ca	406	380 - 460
Mg	1240	1180 - 1460
K	390	360 - 420
Br	76.2	55.0 - 74.0
Sr	7.93	6.00 - 10.00
S	790	740 - 990

NUTRIENTS

Element	Result mg/l (ppm)	Recommended level mg/l (ppm)
PO4	0.1872	0 - 0.0300
P	0.0611	0 - 0.0100

Element	Result	Recommended level
Salinity (ppt)	34	33 - 38
KH (°dKH)	10.4	6.5 - 8.5

CLIENT REMARKS

-

Recommended actions:

- **KH** - Level of KH is too high, if you want to lower it, do a water change.
- **PO4** - Level of PO4 is too high, if you want to lower it, do a water change and use Phosphate Minus and NitraPhos Minus. You can also use Pro Bio S and -NP Pro.
- **Al** - Level of aluminium is too high, if you want to lower it, do a water change. It's worth to check your RO water for contaminants.
- **B** - Level of boron is too low. Please remember, that maximum safe daily dose is 20 ml per 100 litres of water. If you need a higher dose, split it into a few days. Correct the result by using: **Borium**. Suggested dosage for your tank: **30.6 ml**
- **Cr** - Level of chromium is too low. Please remember, that maximum safe daily dose is 1 ml per 100 litres of water. If you need a higher dose, split it into a few days. Correct the result by using: **Chromium**. Suggested dosage for your tank: **1 ml**
- **I** - Level of iodine is too high, if you want to lower it, do a water change.
- **Li** - Level of lithium is too high, if you want to lower it, do a water change.
- **Mn** - Level of manganese is too low. Please remember, that maximum safe daily dose is 1 ml per 100 litres of water. If you need a higher dose, split it into a few days. Correct the result by using: **Manganum**. Suggested dosage for your tank: **0.9 ml**
- **Ni** - Level of nickel is too low. Please remember, that maximum safe daily dose is 2 ml per 100 litres of water. If you need a higher dose, split it into a few days. Correct the result by using: **Niccolum**. Suggested dosage for your tank: **11 ml**
- **V** - Level of vanadium is too low. Please remember, that maximum safe daily dose is 1 ml per 100 litres of water. If you need a higher dose, split it into a few days. Correct the result by using: **Vanadium**. Suggested dosage for your tank: **0.8 ml**

- **P** - Level of phosphorus is too high, if you want to lower it, do a water change and use Phosphate Minus or NitraPhos Minus. You can also use Pro Bio S combined with -NP Pro.
- **Br** - Level of bromine is too high, if you want to lower it, do a water change.

