

















120 waterbox (28354A)



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		120
Se	0.00 µg/l	0 µg/l	-0.10		120
Cd	0.00 µg/l	0 µg/l	-0.10		120
Sn	1.78 µg/l	0 µg/l	1.68		120
Sb	0.00 µg/l	0 µg/l	-0.10		120
As	0.00 µg/l	0 µg/l	-0.10		120
Al	113.00 µg/l	2.00 µg/l	111.00		120
Pb	0.00 µg/l	0 µg/l	-0.10		120
Ti	0.00 µg/l	0 µg/l	-0.10		120
Cu	0.00 µg/l	0 µg/l	-0.10		120
La	0.00 µg/l	0 µg/l	-0.10		120
Sc	0.00 µg/l	0 µg/l	-0.10		120
W	0.00 µg/l	0 µg/l	-0.10		120

Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	11000.00 mg/l	10700.00 mg/l	300.00		120
Ca	434.00 mg/l	440.00 mg/l	-6.00		120
Mg	1398.00 mg/l	1370.00 mg/l	28.00		120
K	391.00 mg/l	400.00 mg/l	-9.00		120
Br	79.00 mg/l	62.00 mg/l	17.00		120
B	4.58 mg/l	4.50 mg/l	0.08		120
Sr	9.14 mg/l	8.00 mg/l	1.14		120
S	1053.00 mg/l	900.00 mg/l	153.00		120

120 waterbox (28354A)



Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	416.00 µg/l	200.00 µg/l	216.00		120
Ni	0.00 µg/l	5.00 µg/l	-5.00		120
Mo	3.02 µg/l	12.00 µg/l	-8.98		120

I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		120
Zn	3.66 µg/l	4.00 µg/l	-0.34		120
Mn	1.12 µg/l	2.00 µg/l	-0.88		120
I	90.00 µg/l	60.00 µg/l	30.00		120

Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		120
Co	0.00 µg/l	0 µg/l	-0.10		120
Fe	6.27 µg/l	0 µg/l	6.17		120

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	30.00 µg/l	10.00 µg/l	20.00		120
Be	0.00 µg/l	0 µg/l	-0.10		120



Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	174.00 µg/l	100.00 µg/l	74.00		120

120 waterbox (28354A)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	27.00 µg/l	6.00 µg/l	21.00		120
PO4	0.083 mg/l	0.018 mg/l	0.065		120