






















Aquarium (29244A)



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		65
Se	0.00 µg/l	0 µg/l	-0.10		65
Cd	0.00 µg/l	0 µg/l	-0.10		65
Sn	0.00 µg/l	0 µg/l	-0.10		65
Sb	0.00 µg/l	0 µg/l	-0.10		65
As	0.00 µg/l	0 µg/l	-0.10		65
Al	72.00 µg/l	2.00 µg/l	70.00		65
Pb	0.00 µg/l	0 µg/l	-0.10		65
Ti	0.00 µg/l	0 µg/l	-0.10		65
Cu	0.00 µg/l	0 µg/l	-0.10		65
La	0.00 µg/l	0 µg/l	-0.10		65
Sc	0.00 µg/l	0 µg/l	-0.10		65
W	0.00 µg/l	0 µg/l	-0.10		65




Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	11437.00 mg/l	10700.00 mg/l	737.00		65
Ca	480.00 mg/l	440.00 mg/l	40.00		65
Mg	1552.00 mg/l	1370.00 mg/l	182.00		65
K	449.00 mg/l	400.00 mg/l	49.00		65
Br	63.00 mg/l	62.00 mg/l	1.00		65
B	3.91 mg/l	4.50 mg/l	-0.59		65
Sr	12.00 mg/l	8.00 mg/l	4.00		65
S	977.00 mg/l	900.00 mg/l	77.00		65





Aquarium (29244A)






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	201.00 µg/l	200.00 µg/l	1.00		65
Ni	1.38 µg/l	5.00 µg/l	-3.62		65
Mo	0.78 µg/l	12.00 µg/l	-11.22		65



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		65
Zn	0.00 µg/l	4.00 µg/l	-4.00		65
Mn	0.00 µg/l	2.00 µg/l	-2.00		65
I	34.00 µg/l	60.00 µg/l	-26.00		65


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		65
Co	0.00 µg/l	0 µg/l	-0.10		65
Fe	0.00 µg/l	0 µg/l	-0.10		65

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	71.00 µg/l	10.00 µg/l	61.00		65
Be	0.00 µg/l	0 µg/l	-0.10		65



Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	582.00 µg/l	100.00 µg/l	482.00		65

Aquarium (29244A)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	29.00 µg/l	6.00 µg/l	23.00		65
PO4	0.089 mg/l	0.018 mg/l	0.071		65