






















Triton (1720A)



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		552
Se	0.00 µg/l	0 µg/l	-0.10		552
Cd	0.00 µg/l	0 µg/l	-0.10		552
Sn	0.00 µg/l	0 µg/l	-0.10		552
Sb	0.00 µg/l	0 µg/l	-0.10		552
As	0.00 µg/l	0 µg/l	-0.10		552
Al	14.00 µg/l	2.00 µg/l	12.00		552
Pb	0.00 µg/l	0 µg/l	-0.10		552
Ti	0.00 µg/l	0 µg/l	-0.10		552
Cu	0.00 µg/l	0 µg/l	-0.10		552
La	0.00 µg/l	0 µg/l	-0.10		552
Sc	0.00 µg/l	0 µg/l	-0.10		552
W	14.00 µg/l	0 µg/l	13.90		552




Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Na	10706.00 mg/l	10700.00 mg/l	6.00		552
Ca	610.00 mg/l	440.00 mg/l	170.00		552
Mg	1585.00 mg/l	1370.00 mg/l	215.00		552
K	444.00 mg/l	400.00 mg/l	44.00		552
Br	75.00 mg/l	62.00 mg/l	13.00		552
B	3.80 mg/l	4.50 mg/l	-0.70		552
Sr	4.32 mg/l	8.00 mg/l	-3.68		552
S	1362.00 mg/l	900.00 mg/l	462.00		552





Triton (1720A)






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Li	209.00 µg/l	200.00 µg/l	9.00		552
Ni	0.00 µg/l	5.00 µg/l	-5.00		552
Mo	14.00 µg/l	12.00 µg/l	2.00		552



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
V	0.00 µg/l	1.20 µg/l	-1.20		552
Zn	0.00 µg/l	4.00 µg/l	-4.00		552
Mn	0.00 µg/l	2.00 µg/l	-2.00		552
I	0.00 µg/l	60.00 µg/l	-60.00		552


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Cr	0.00 µg/l	0 µg/l	-0.10		552
Co	0.00 µg/l	0 µg/l	-0.10		552
Fe	0.00 µg/l	0 µg/l	-0.10		552

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Ba	1.14 µg/l	10.00 µg/l	-8.86		552
Be	0.00 µg/l	0 µg/l	-0.10		552



Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Si	542.00 µg/l	100.00 µg/l	442.00		552

Triton (1720A)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
P	19.00 µg/l	6.00 µg/l	13.00		552
PO4	0.058 mg/l	0.018 mg/l	0.040		552