
























Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		180
Se	0.00 µg/l	0 µg/l	-0.10		180
Cd	0.00 µg/l	0 µg/l	-0.10		180
Sn	0.00 µg/l	0 µg/l	-0.10		180
Sb	0.00 µg/l	0 µg/l	-0.10		180
As	0.00 µg/l	0 µg/l	-0.10		180
Al	5.73 µg/l	2.00 µg/l	3.73		180
Pb	0.00 µg/l	0 µg/l	-0.10		180
Ti	0.00 µg/l	0 µg/l	-0.10		180
Cu	0.00 µg/l	0 µg/l	-0.10		180
La	4.47 µg/l	0 µg/l	4.37		180
Sc	0.00 µg/l	0 µg/l	-0.10		180
W	0.00 µg/l	0 µg/l	-0.10		180

Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	10242.00 mg/l	10700.00 mg/l	-458.00		180
Ca	553.00 mg/l	440.00 mg/l	113.00		180
Mg	1488.00 mg/l	1370.00 mg/l	118.00		180
K	490.00 mg/l	400.00 mg/l	90.00		180
Br	74.00 mg/l	62.00 mg/l	12.00		180
B	3.47 mg/l	4.50 mg/l	-1.03		180
Sr	2.16 mg/l	8.00 mg/l	-5.84		180
S	902.00 mg/l	900.00 mg/l	2.00		180

**Li-Group**

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	265.00 µg/l	200.00 µg/l	65.00		180
Ni	0.00 µg/l	5.00 µg/l	-5.00		180
Mo	0.00 µg/l	12.00 µg/l	-12.00		180

I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		180
Zn	2.15 µg/l	4.00 µg/l	-1.85		180
Mn	0.00 µg/l	2.00 µg/l	-2.00		180
I	0.00 µg/l	60.00 µg/l	-60.00		180

Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		180
Co	0.00 µg/l	0 µg/l	-0.10		180
Fe	0.00 µg/l	0 µg/l	-0.10		180

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	16.00 µg/l	10.00 µg/l	6.00		180
Be	0.00 µg/l	0 µg/l	-0.10		180

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	251.00 µg/l	100.00 µg/l	151.00		180

**Nutrient-Group**

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	17.00 µg/l	6.00 µg/l	11.00	■	180
PO4	0.052 mg/l	0.018 mg/l	0.034	■	180