






















# 120 mixed (21363A)



## Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		140
Se	0.00 µg/l	0 µg/l	-0.10		140
Cd	0.00 µg/l	0 µg/l	-0.10		140
Sn	0.00 µg/l	0 µg/l	-0.10		140
Sb	0.00 µg/l	0 µg/l	-0.10		140
As	0.00 µg/l	0 µg/l	-0.10		140
Al	0.00 µg/l	2.00 µg/l	-2.00		140
Pb	0.00 µg/l	0 µg/l	-0.10		140
Ti	0.00 µg/l	0 µg/l	-0.10		140
Cu	0.00 µg/l	0 µg/l	-0.10		140
La	0.00 µg/l	0 µg/l	-0.10		140
Sc	0.00 µg/l	0 µg/l	-0.10		140
W	0.00 µg/l	0 µg/l	-0.10		140




## Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	10578.00 mg/l	10700.00 mg/l	-122.00		140
Ca	493.00 mg/l	440.00 mg/l	53.00		140
Mg	1403.00 mg/l	1370.00 mg/l	33.00		140
K	400.00 mg/l	400.00 mg/l	0.00		140
Br	55.00 mg/l	62.00 mg/l	-7.00		140
B	3.73 mg/l	4.50 mg/l	-0.77		140
Sr	7.08 mg/l	8.00 mg/l	-0.92		140
S	887.00 mg/l	900.00 mg/l	-13.00		140





# 120 mixed (21363A)






## Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	235.00 µg/l	200.00 µg/l	35.00		140
Ni	0.00 µg/l	5.00 µg/l	-5.00		140
Mo	0.00 µg/l	12.00 µg/l	-12.00		140



## I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		140
Zn	0.00 µg/l	4.00 µg/l	-4.00		140
Mn	0.00 µg/l	2.00 µg/l	-2.00		140
I	0.00 µg/l	60.00 µg/l	-60.00		140


## Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		140
Co	0.00 µg/l	0 µg/l	-0.10		140
Fe	0.00 µg/l	0 µg/l	-0.10		140

## Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	30.00 µg/l	10.00 µg/l	20.00		140
Be	0.00 µg/l	0 µg/l	-0.10		140



## Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	176.00 µg/l	100.00 µg/l	76.00		140

## 120 mixed (21363A)



### Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	11.00 µg/l	6.00 µg/l	5.00		140
PO4	0.034 mg/l	0.018 mg/l	0.016		140