






















### Unwanted heavy metals




Element	Analysis	Setpoint	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l		45
Se	0.00 µg/l	0 µg/l		45
Cd	0.00 µg/l	0 µg/l		45
Sn	0.00 µg/l	0 µg/l		45
Sb	0.00 µg/l	0 µg/l		45
As	0.00 µg/l	0 µg/l		45
Al	0.00 µg/l	0 - 60 µg/l		45
Pb	0.00 µg/l	0 µg/l		45
Ti	0.00 µg/l	0 µg/l		45
Cu	0.00 µg/l	0 µg/l		45
La	0.00 µg/l	0 µg/l		45
Sc	0.00 µg/l	0 µg/l		45
W	0.00 µg/l	0 µg/l		45




### Macro-Elements





Element	Analysis	Setpoint	Warning lamp	Gallons
Na	48879.00 mg/l	10000 - 11300 mg/l		45
Ca	0.00 mg/l	415 - 520 mg/l		45
Mg	41.00 mg/l	1320 - 1500 mg/l		45
K	0.00 mg/l	380 - 480 mg/l		45
Br	0.00 mg/l	62 mg/l		45
B	67.00 mg/l	4.5 mg/l		45
Sr	0.00 mg/l	8 - 12 mg/l		45
S	4675.00 mg/l	900 mg/l		45

### Li-Group




Element	Analysis	Setpoint	Warning lamp	Gallons
Li	12.00 µg/l	200 µg/l		45
Ni	0.00 µg/l	5 µg/l		45
Mo	4.85 µg/l	12 µg/l		45





### I-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
V	0.00 µg/l	0 - 3 µg/l		45
Zn	0.00 µg/l	0 - 5 µg/l		45
Mn	0.00 µg/l	0 - 3 µg/l		45
I	0.00 µg/l	30 - 90 µg/l		45

### Fe-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l		45
Co	0.00 µg/l	0 µg/l		45
Fe	0.00 µg/l	0 µg/l		45



### Ba-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Ba	148.00 µg/l	0 - 10 µg/l		45
Be	0.00 µg/l	0 µg/l		45

### Si-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Si	89.00 µg/l	0 - 200 µg/l		45

# Nutrient-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
P	3.76 µg/l	6 - 23 µg/l		45
PO4	0.011 mg/l	0.018 - 0.07 mg/l		45

