



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		300
Se	0.00 µg/l	0 µg/l	-0.10		300
Cd	0.00 µg/l	0 µg/l	-0.10		300
Sn	0.00 µg/l	0 µg/l	-0.10		300
Sb	0.00 µg/l	0 µg/l	-0.10		300
As	0.00 µg/l	0 µg/l	-0.10		300
Al	37.93 µg/l	2.00 µg/l	35.93		300
Pb	0.00 µg/l	0 µg/l	-0.10		300
Ti	0.00 µg/l	0 µg/l	-0.10		300
Cu	0.00 µg/l	0 µg/l	-0.10		300
La	0.00 µg/l	0 µg/l	-0.10		300
Sc	0.00 µg/l	0 µg/l	-0.10		300
W	0.00 µg/l	0 µg/l	-0.10		300

Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	9175.00 mg/l	10700.00 mg/l	-1525.00		300
Ca	349.00 mg/l	440.00 mg/l	-91.00		300
Mg	1026.00 mg/l	1370.00 mg/l	-344.00		300
K	299.00 mg/l	400.00 mg/l	-101.00		300
Br	59.16 mg/l	62.00 mg/l	-2.84		300
B	4.70 mg/l	4.50 mg/l	0.20		300
Sr	6.75 mg/l	8.00 mg/l	-1.25		300
S	793.00 mg/l	900.00 mg/l	-107.00		300

300G (12634A)



Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	285.00 µg/l	200.00 µg/l	85.00		300
Ni	0.00 µg/l	5.00 µg/l	-5.00		300
Mo	0.00 µg/l	12.00 µg/l	-12.00		300

I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		300
Zn	0.00 µg/l	4.00 µg/l	-4.00		300
Mn	0.00 µg/l	2.00 µg/l	-2.00		300
I	30.23 µg/l	60.00 µg/l	-29.77		300

Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		300
Co	0.00 µg/l	0 µg/l	-0.10		300
Fe	0.00 µg/l	0 µg/l	-0.10		300

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	16.75 µg/l	10.00 µg/l	6.75		300
Be	0.00 µg/l	0 µg/l	-0.10		300



Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	124.00 µg/l	100.00 µg/l	24.00		300

300G (12634A)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	2.84 µg/l	6.00 µg/l	-3.16		300
PO4	0.009 mg/l	0.018 mg/l	-0.009		300