






















Reeftank (23188A)



Unwanted heavy metals

| Element | Analysis | Setpoint | Deviation | Warning lamp | Gallons |
|---------|------------|-----------|-----------|---|---------|
| Hg | 0.00 µg/l | 0 µg/l | -0.10 |  | 109 |
| Se | 0.00 µg/l | 0 µg/l | -0.10 |  | 109 |
| Cd | 0.00 µg/l | 0 µg/l | -0.10 |  | 109 |
| Sn | 0.00 µg/l | 0 µg/l | -0.10 |  | 109 |
| Sb | 0.00 µg/l | 0 µg/l | -0.10 |  | 109 |
| As | 0.00 µg/l | 0 µg/l | -0.10 |  | 109 |
| Al | 70.00 µg/l | 2.00 µg/l | 68.00 |  | 109 |
| Pb | 0.00 µg/l | 0 µg/l | -0.10 |  | 109 |
| Ti | 0.00 µg/l | 0 µg/l | -0.10 |  | 109 |
| Cu | 0.00 µg/l | 0 µg/l | -0.10 |  | 109 |
| La | 0.00 µg/l | 0 µg/l | -0.10 |  | 109 |
| Sc | 0.00 µg/l | 0 µg/l | -0.10 |  | 109 |
| W | 0.00 µg/l | 0 µg/l | -0.10 |  | 109 |

Macro-Elements

| Element | Analysis | Setpoint | Deviation | Warning lamp | Gallons |
|---------|---------------|---------------|-----------|---|---------|
| Na | 11240.00 mg/l | 10700.00 mg/l | 540.00 |  | 109 |
| Ca | 445.00 mg/l | 440.00 mg/l | 5.00 |  | 109 |
| Mg | 1397.00 mg/l | 1370.00 mg/l | 27.00 |  | 109 |
| K | 426.00 mg/l | 400.00 mg/l | 26.00 |  | 109 |
| Br | 65.00 mg/l | 62.00 mg/l | 3.00 |  | 109 |
| B | 4.05 mg/l | 4.50 mg/l | -0.45 |  | 109 |
| Sr | 8.66 mg/l | 8.00 mg/l | 0.66 |  | 109 |
| S | 954.00 mg/l | 900.00 mg/l | 54.00 |  | 109 |

Reeftank (23188A)



Li-Group

| Element | Analysis | Setpoint | Deviation | Warning lamp | Gallons |
|---------|-------------|-------------|-----------|--------------|---------|
| Li | 210.00 µg/l | 200.00 µg/l | 10.00 | <div></div> | 109 |
| Ni | 0.00 µg/l | 5.00 µg/l | -5.00 | <div></div> | 109 |
| Mo | 5.49 µg/l | 12.00 µg/l | -6.51 | <div></div> | 109 |

I-Group

| Element | Analysis | Setpoint | Deviation | Warning lamp | Gallons |
|---------|-------------|------------|-----------|--------------|---------|
| V | 0.00 µg/l | 1.20 µg/l | -1.20 | <div></div> | 109 |
| Zn | 0.00 µg/l | 4.00 µg/l | -4.00 | <div></div> | 109 |
| Mn | 0.00 µg/l | 2.00 µg/l | -2.00 | <div></div> | 109 |
| I | 202.00 µg/l | 60.00 µg/l | 142.00 | <div></div> | 109 |

Fe-Group

| Element | Analysis | Setpoint | Deviation | Warning lamp | Gallons |
|---------|-----------|----------|-----------|--------------|---------|
| Cr | 0.00 µg/l | 0 µg/l | -0.10 | <div></div> | 109 |
| Co | 0.00 µg/l | 0 µg/l | -0.10 | <div></div> | 109 |
| Fe | 0.00 µg/l | 0 µg/l | -0.10 | <div></div> | 109 |

Ba-Group

| Element | Analysis | Setpoint | Deviation | Warning lamp | Gallons |
|---------|-----------|------------|-----------|--------------|---------|
| Ba | 6.02 µg/l | 10.00 µg/l | -3.98 | <div></div> | 109 |
| Be | 0.00 µg/l | 0 µg/l | -0.10 | <div></div> | 109 |



Si-Group

| Element | Analysis | Setpoint | Deviation | Warning lamp | Gallons |
|---------|------------|-------------|-----------|--------------|---------|
| Si | 67.00 µg/l | 100.00 µg/l | -33.00 | <div></div> | 109 |

Reeftank (23188A)



Nutrient-Group

| Element | Analysis | Setpoint | Deviation | Warning lamp | Gallons |
|---------|------------|------------|-----------|---|---------|
| P | 5.23 µg/l | 6.00 µg/l | -0.77 |  | 109 |
| PO4 | 0.016 mg/l | 0.018 mg/l | -0.002 |  | 109 |