



9399 W Higgins Rd Suite  
1100  
Rosemont, IL 60018

Phone: 877-889-8195  
Web: www.culligan.com

Report Date: 7/18/2025

### CERTIFICATE OF ANALYSIS

**Analysis Number: 2507866**

CWC of Terre Haute, Brazil & Rockville, Indiana  
723 North Seventh Street  
Terre Haute, IN 47807

**Customer: Greg Milner**

Control Number:

Account Number: 10004514  
Collected By: Steve Templeton

Misc:  
cc:

#### SAMPLE INFORMATION:

**Analysis Type Requested:** Silver/Realtor Well Test

<b>Sampled:</b> 7/14/2025 at 1:30 PM	<b>Supply/Source:</b> Private Well	<b>Condition:</b> Untreated Water
<b>Received:</b> 7/15/2025 at 11:22 AM	<b>Sampling Point:</b> Faucet	<b>Application:</b> Household

This Certificate of Analysis compares the actual test result to national standards as defined in the EPA 's Primary and Secondary Drinking Water Regulations.

**mg/L (ppm):** Unless otherwise indicated, results and standards are expressed as an amount in milligrams per liter or parts per million.

**ug/L (ppb):** Unless otherwise indicated, results and standards are expressed as an amount in micrograms per liter or parts per billion.

**CFU/ml:** colony-forming units per milliliter

**Reporting Level (RL):** The lowest concentration level that the laboratory can detect a contaminant.

**ND:** The contaminant was not detected above the minimum detection level.

**NA:** The contaminant was not analyzed.

\* - non-TNI accredited parameter

\*\* - IL-IDPH accredited parameter

**Status**









The contaminant was not detected in the sample above the minimum detection level.



The contaminant was detected below National Standard limit.



The contaminant was detected above National Standard limit.

Status	Contaminant	Results	RL	Units	Method	EPA Limit	Analysis Date/Time	Qual
	Total Arsenic	<1.000	1.000	ug/L	200.8 R5.4	10.00	7/18/2025 at 11:56:00AM	
	Lead (Pb)	9.79	1.000	ug/L	200.8 R5.4	15.00	7/18/2025 at 11:56:00AM	
	Nitrate as N	2.79	0.200	mg/L	300.0 R2.1	10.00	7/16/2025 at 8:26:00AM	
	Nitrite as N	<0.100	0.100	mg/L	300.0 R2.1	1.00	7/16/2025 at 8:26:00AM	
	E. Coli**	Non-detected			SM9223B Coli-18		7/15/2025 at 11:22:00AM	*
	Total Coliform**	Non-detected			SM9223B Coli-18		7/15/2025 at 11:22:00AM	*

This report can only be reproduced in its entirety. The results reported here are representative of the sample as received in the laboratory. Unless noted holding times and temperature requirements for method 300 are not followed. pH results are out of hold time.

This analysis will not determine whether a water is safe for human consumption.

## ANALYTE QUALIFIERS

- H1 Analysis conducted outside the EPA method holding time
- H2 Sample received outside EPA method temperature requirements
- P Sample received outside the EPA method preservative requirement
- C Sample received in an inappropriate sample container
- T Insufficient sample received from client to perform the analysis per EPA method requirements
- B Analyte was detected in an associated blank at a concentration greater than the MDL
- M Microbiological analysis initiated more than 80 hours after sample collection. Analysis was completed upon client approval
- SH The sampler's name and signature were not listed on the COC
- SF Sample collection dates and times were not listed on the COC
- A The sample was analyzed by serial dilution
- D The precision between the sample and sample duplicate exceeded laboratory control limits
- I This analyte exceeded secondary source verification criteria low/high for the initial calibration. This reported result should be considered an estimated value.
- SS This analyte did not meet the secondary source verification criteria for the initial calibration. The reported result should be considered an estimated value
- FS The sample was filtered in the laboratory prior to analysis
- R Results confirmed by second analysis
- SC This report contains data that were produced by subcontracted laboratory certified for the fields of testing performed
- DM Non-method digestion process is followed
- MM Method modification- not from the acidified well mixed sample

NELAP Certifications: IL-100213; PA-68-04623; NY-11756; TX-TX269-2007A  
 State Certifications: IL-IDPH-17598; CA-2958; MT-CERT0091; IA-369; VA-00466  
 VT-02199; WI-399016200; CO-IL100213; MI-9988; MO-1060

Maria Mozden  
 Analytical Lab Manager



**pH** – stands for “potential of hydrogen” and indicates the acidity or alkalinity level of water on a scale of 0 to 14 (neutral = pH 7.0). Levels below 7.0 are acidic and above 7.0 are alkaline. pH is logarithmic – 6.0 is 10 X more acidic and 5.0 is 100 X more acidic than 7.0.

**Conductivity** - the ability of water to conduct electrical current, used to estimate the total concentration of dissolved mineral ions.

**TDS** - Total Dissolved Solids – the total amount of minerals dissolved in the water as determined by the conductivity level.

**Turbidity** - cloudiness in water caused by the dispersion of light by extremely tiny particles. Measured on an arbitrary scale of Nephelometric Turbidity Units (NTUs). **Turbidity after filtration** is measured after passing water through and 11-micron filter paper.

**Color** - the amount of color in the water. Color can be caused by organic matter or oxidized metals and their combinations.

**Color after Acidification** - Acid added to the sample dissolves oxidized metals and the result after acidification is due to organics.

**Hardness** – The sum of calcium and magnesium ions and any metals. Calcium and magnesium are the cause of “hard water”.

**Sodium** – is naturally occurring. Sources can be sea water, underground deposits or the result of road salting in colder climates.

**Iron** – elemental metal responsible for orange, rust stains on laundry and fixtures and a metallic smell to water.

**Manganese** – elemental metal responsible for brown and black stains. Very soluble and often found in combination with iron.

**Copper** - causes blue/green staining in sinks and showers. Usually from copper pipe corrosion due to low pH and/or high TDS.

**Zinc** – may cause metallic taste and upset stomach, usually due to corrosion of galvanized plumbing materials.

**Chloride** – often found where sodium is present and is responsible for the “salty” taste associated with salt (sodium chloride).

**Nitrate** – sources of nitrate are human/animal wastes and fertilizers. Water supplies with high levels should also be tested for bacterial contamination and pesticides if in an agricultural area. Nitrate can be toxic to infants if ingested by causing “blue baby syndrome”.

**Nitrite** – may be present where nitrate is found and is more toxic at lower levels than nitrate.

**Sulfate** – a naturally occurring mineral in groundwater. At high levels it can cause a bitter taste and have a laxative effect.

**Fluoride** - often added to municipal water to inhibit tooth decay. Can also be present in well water at excessive levels.

**Total Alkalinity** - the sum of hydroxide (OH<sup>-</sup>), carbonate (CO<sub>3</sub><sup>-2</sup>), and bicarbonate (HCO<sub>3</sub><sup>-</sup>) ions which buffer changes in pH level.

**Bicarbonate** – present in water from pH level 4.7 up to a pH level 8.3 in combination with carbon dioxide.

**Carbonate** – present where pH level is above 8.3. Typically, only present after the pH level has been increased chemically.

**Silica** - a naturally occurring dissolved mineral that can cause a glass etching, scale and water spots that are difficult to remove.

**Cations** – are ions with a positive (+) electrical charge. Cations are attracted to negatively charged cation ion-exchange resins.

**Anions** – are ions with a negative (-) electrical charge. Anions are attracted to positively charged anion ion-exchange resins.

**TOC / Total Organic Carbon** – the level of dissolved natural organic matter in water excluding carbon dioxide.

**Hydrogen Sulfide / H<sub>2</sub>S** - a corrosive gas that smells like “rotten eggs”. Testing requires submitting water in a preserved sample bottle.

**Arsenic** – is a naturally occurring and toxic semi-metal element found in groundwater in some areas of the US and Canada.

**Arsenic-Speciated** – the specific amounts of Arsenite (Type III/Trivalent) and Arsenate (Type V/Pentavalent) concentrations.

**Aluminum** – occurs naturally in ground water leached from rock and soil. Can also be the result of municipal water treatment.

**Lead** – the source is often within the plumbing system. It is present in older brass valves and fixtures and lead solder joints.

**Coliform Bacteria** – a non-pathogenic, vegetative bacteria used as an “indicator” organism to determine a water’s overall potability.

**E. Coli Bacteria** – a pathogenic bacteria only found in the digestive systems of warm-blooded animals and humans. Sources include poorly constructed wells and cisterns, shallow wells, streams, springs, lakes, ponds and failed septic systems.

**Slime Forming Bacteria** – a nuisance bacteria that can cause odor and thick slime build-up, particularly when water is aerated.

**Iron Related Bacteria** – a nuisance bacteria that metabolizes iron causing red/brown film, stringy growths and many types of odor.

**Sulfate Reducing Bacteria** – anaerobic bacteria that reduces the sulfate ion to hydrogen-sulfide gas and causes “rotten egg” odor.

***NUISANCE BACTERIA POPULATION LEVELS (reported in cfu/ml – colony forming units per milliliter)***

<u>Slime Forming Bacteria</u>	<u>Iron Related Bacteria</u>	<u>Sulfate Reducing Bacteria</u>
1,750,000 - Aggressive	570,000 - Aggressive	2,200,000 – Aggressive
440,000 – Aggressive	140,000 - Aggressive	500,000 – Aggressive
67,000 – Aggressive	35,000 – Aggressive	115,000 – Aggressive
13,000 - Moderate	9,000 – Aggressive	27,000 – Aggressive
2,500 - Moderate	2,200 – Aggressive	6,000 – Aggressive
500 – Moderate	500 – Moderate	1,400 – Moderate
100 – Not Aggressive	150 – Moderate	325 – Moderate
0 – None Present	25 - Moderate	75 – Moderate
	8 – Not Aggressive	20 – Not Aggressive
	0 – None Present	5-Not Aggressive
		0 – None Present

Quick Guide - Systems Solution Options																				
Parameter/Contaminant	Reverse Osmosis - RO System	RO with Total Defense Cartridge	RO with Arsenic Cartridge	Water Softener	Salt-Free Softener	Iron Clear - Iron OX5	Sulfur-Clear / Sulfur-OX3	Cullar - Activated Carbon	Filter-Clear - Depth Filter	Neutralizing Filter - Cullineu	Arsenic Filter - Whole House	Anion Exchange - Chloride Form	Chlorination	Catalytic Carbon	Carbon Block Filter	Non-Backwashing System	Ultra-Violet Light	De-Ionization	No Reliable Treatment	Application Notes
Alkalinity - high	•	•	•								•	•								Anion exchange will lower pH
Alkalinity - low									•			•								Chemical Feed w/ Soda Ash
Aluminum	•	•	•	•																Difficult to regenerate off resin
Ammonia	•	•	•	•																as ammonia ion
Antimony	•	•	•																	
Arsenic	•										•									RO only is for +5 only
Arsenic +3 /Trivalent/Arsenite			•								•									RO alone = +/- 60% removal
Arsenic +5/Pentavalent/Arsenate	•		•								•									AS cartridge recommended
Barium	•	•	•	•																
Beryllium	•	•	•	•																
Cadmium	•	•	•																	
Calcium (Hardness)	•	•	•	•	•															Salt-Free does not remove
Chloride	•	•	•																	
Chlorine	•	•	•				•						•	•	•					RO when used with carbon filter
Chloramine		•											•	•	•					
Chromium	•	•	•																	
Coliform Bacteria											•	•					•			Chlorination - 20 minute rule
Color							•	•		•										Pilot testing recommended
Conductivity (TDS) - High	•	•	•																	
Copper	•	•	•																	May need to increase pH
E. Coli Bacteria											•	•					•			Chlorination - 20 minute rule
Fluoride	•	•	•																	
Hardness (as CaCO3)				•	•															Combined Calcium & Magnesium
Hydrogen Sulfide (Gas/Odor)											•	•								Iron-OX5 not for H2S removal
Iron - Soluble/Ferrous/Clear Water			•			•	•													Iron will oxidize after sampling
Iron - Insoluble/Ferric/Rust						•		•												Cartridge filter option 10-micron
Iron Related Bacteria											•	•								UV not recommended
Lead - Point-of-Use	•	•	•																	RO or Preferred Series Filters
Lead - Point-of-Entry																				Pioneer Filter-4 gpm@15 psi loss
Magnesium (Hardness)				•	•															Salt-Free does not remove
Manganese				•																Iron filters will not remove
Mercury	•	•	•																	
Nitrate	•	•	•								•									RO will reduce by 70% to 80%
Nitrite	•	•	•																	Not removed by anion exchange
pH - Low										•		•								Chemical Feed w/Soda Ash
pH - High	•	•	•								•	•								Chemical Feed w/Citric Acid
PFOA / PFOS			•													•				Certified POU and POE systems
Potassium	•	•	•																	
Phosphate	•	•	•																	
Radium 226 & 228	•	•	•	•																
Selenium	•	•	•																	
Silica	•	•	•																	Whole House RO for POE
Silver	•	•	•																	
Slime Forming Bacteria											•	•								UV not recommended
Sodium	•	•	•																	
Suspended Solids									•			•								Cartridge filter < 10-microns
Strontium																				Difficult to remove from water
Sulfate	•	•	•								•									Sulfate ion - Hydrogen Sulfide gas
Sulfate Reducing Bacteria											•	•								UV not recommended
Tannins (color present)									•		•									Pilot testing required
Thallium	•	•	•																	
TOC - Total Organic Carbon									•				•	•	•	•				UV destruct -285 nm for pure water
Trihalomethanes / DBPs		•											•		•					Requires long contact times
Turbidity		•							•			•								5 NTU or less for private wells
Uranium	•	•	•								•									Anion exchange is more complex
Volatile Organic Compounds - VOCs			•												•	•				Preferred Series Filters-POU
Zinc	•	•	•	•																

Notes: The product recommendations listed are potential solutions and may not be available in all states.  
 Each water analysis is unique and must be reviewed to determine the best treatment approach.  
 These recommendations are not guaranteed solutions and dealer/client is solely responsible for selection and application.  
 Assistance with product selection is available from Technical Services, Regional Technical Advisors and Problem Water Specialist.

**Culligan Water** **SAMI**  **2507866** Control Number: \_\_\_\_\_  
RW Culligan In. **ST** Laboratory  
9399 W. Higgins Road Suite 1100  
Rosemont, IL 60018

**SAMPLE SUBMITTED BY:**

Account Number: 10004514  
 Account Name: MB Water  
 Phone Number: 812-235-8171  
 E-mail: Steve@thculligan.com  
 Person Taking Sample: Steve Templeton  
 Date Sample Taken: 7/14/25 Time Sample Taken: 1:30 PM

**CUSTOMER INFORMATION:**

Customer Name: Greg Milner  
 Address: \_\_\_\_\_  
 City: \_\_\_\_\_  
 Customer reported concern: \_\_\_\_\_

JL 011:224

**SAMPLE INFORMATION:**

Water Supply: Private  Municipal \_\_\_\_\_  
 Source: Surface \_\_\_\_\_ Well  Unknown \_\_\_\_\_  
 Condition: Treated \_\_\_\_\_ Untreated  \_\_\_\_\_  
 Sample Point: Faucet  Equipment \_\_\_\_\_ Other \_\_\_\_\_  
 Application: Household  Commercial \_\_\_\_\_ National Account \_\_\_\_\_  
 General Sample\*  Compliance Sample\* \_\_\_\_\_  
 \* if not marked, will treat as general sample

**ANALYSIS REQUESTED:**

Standard Analysis: \_\_\_\_\_  
 Problem Water Analysis: \_\_\_\_\_  
 RO/Hans Well Analysis: \_\_\_\_\_  
 RO/Hans City Analysis: \_\_\_\_\_  
 Silver/Realtor Well:  \_\_\_\_\_  
 Expended Well: \_\_\_\_\_  
 Gold Well: \_\_\_\_\_  
 Comprehensive Analysis: \_\_\_\_\_  
 Arsenic System Well Water: \_\_\_\_\_  
 Scale Analysis: \_\_\_\_\_  
 Resin Analysis: \_\_\_\_\_  
 Depth Filter Analysis: \_\_\_\_\_  
 Arsenic Well Water: \_\_\_\_\_  
 Total Coliform/e-Coli: \_\_\_\_\_  
 Iron/Slime/Sulfate Bacteria: \_\_\_\_\_

Special Analysis: (List Analysis Requested): \_\_\_\_\_  
 For Questions contact Maria Mozdzen at (847) 430-1219 or maria.mozdzen@culligan.com

**LAB USE ONLY FOR COMPLIANCE SAMPLES:**

Sample received in acceptable condition: Yes \_\_\_\_\_ No \_\_\_\_\_ Received by: \_\_\_\_\_ Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 If not reason: \_\_\_\_\_  
 Disposition of sample: \_\_\_\_\_

**Litigation samples are not accepted by the laboratory**

Customer: \_\_\_\_\_  
 Please Sign: \_\_\_\_\_  
 Print Name: \_\_\_\_\_