
Peninsula 500 - 04/07/2021 (B-K76pak)

Unwanted heavy metals




Element	Analysis	Setpoint	Warning lamp	Liter
Hg	0.00 µg/l	0 µg/l		500
Se	0.00 µg/l	0 µg/l		500
Cd	0.00 µg/l	0 µg/l		500
Sn	0.00 µg/l	0 µg/l		500
Sb	0.00 µg/l	0 µg/l		500
As	0.00 µg/l	0 µg/l		500
Al	0.00 µg/l	0 - 60 µg/l		500
Pb	0.00 µg/l	0 µg/l		500
Ti	0.00 µg/l	0 µg/l		500
Cu	0.00 µg/l	0 µg/l		500
La	0.00 µg/l	0 µg/l		500
Sc	0.00 µg/l	0 µg/l		500
W	0.00 µg/l	0 µg/l		500

Macro-Elements

Element	Analysis	Setpoint	Warning lamp	Liter
Na	10456.00 mg/l	10000 - 11300 mg/l		500
Ca	439.00 mg/l	415 - 520 mg/l		500
Mg	1406.00 mg/l	1320 - 1500 mg/l		500
K	409.00 mg/l	380 - 480 mg/l		500
Br	62.00 mg/l	62 mg/l		500
B	3.91 mg/l	4.5 mg/l		500
Sr	9.09 mg/l	8 - 12 mg/l		500
S	892.00 mg/l	900 mg/l		500

Peninsula 500 - 04/07/2021 (B-K76pak)



Li-Group

Element	Analysis	Setpoint	Warning lamp	Liter
Li	196.00 µg/l	200 µg/l		500
Ni	1.82 µg/l	5 µg/l		500
Mo	10.00 µg/l	12 µg/l		500

I-Group

Element	Analysis	Setpoint	Warning lamp	Liter
V	1.04 µg/l	0 - 3 µg/l		500
Zn	0.00 µg/l	0 - 5 µg/l		500
Mn	0.00 µg/l	0 - 3 µg/l		500
I	17.00 µg/l	30 - 90 µg/l		500

Fe-Group

Element	Analysis	Setpoint	Warning lamp	Liter
Cr	0.00 µg/l	0 µg/l		500
Co	0.00 µg/l	0 µg/l		500
Fe	0.00 µg/l	0 µg/l		500

Ba-Group

Element	Analysis	Setpoint	Warning lamp	Liter
Ba	82.00 µg/l	0 - 10 µg/l		500
Be	0.00 µg/l	0 µg/l		500

Si-Group

Element	Analysis	Setpoint	Warning lamp	Liter
Si	121.00 µg/l	0 - 200 µg/l		500

Peninsula 500 - 04/07/2021 (B-K76pak)

Nutrient-Group

Element	Analysis	Setpoint	Warning lamp	Liter
P	6.07 µg/l	6 - 23 µg/l		500
PO4	0.019 mg/l	0.018 - 0.07 mg/l		500

