










## Unwanted heavy metals




Element	Analysis	Setpoint	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	<div><div></div></div>	45
Se	0.00 µg/l	0 µg/l	<div><div></div></div>	45
Cd	0.00 µg/l	0 µg/l	<div><div></div></div>	45
Sn	0.00 µg/l	0 µg/l	<div><div></div></div>	45
Sb	0.00 µg/l	0 µg/l	<div><div></div></div>	45
As	0.00 µg/l	0 µg/l	<div><div></div></div>	45
Al	0.00 µg/l	0 - 60 µg/l	<div><div></div></div>	45
Pb	0.00 µg/l	0 µg/l	<div><div></div></div>	45
Ti	0.00 µg/l	0 µg/l	<div><div></div></div>	45
Cu	0.00 µg/l	0 µg/l	<div><div></div></div>	45
La	0.00 µg/l	0 µg/l	<div><div></div></div>	45
Sc	0.00 µg/l	0 µg/l	<div><div></div></div>	45
W	202.00 µg/l	0 µg/l	<div><div></div></div>	45




## Macro-Elements





Element	Analysis	Setpoint	Warning lamp	Gallons
Na	11.00 mg/l	10000 - 11300 mg/l		45
Ca	3.00 mg/l	415 - 520 mg/l		45
Mg	5.00 mg/l	1320 - 1500 mg/l		45
K	4171.00 mg/l	380 - 480 mg/l		45
Br	14021.00 mg/l	62 mg/l		45
B	86.00 mg/l	4.5 mg/l		45
Sr	0.00 mg/l	8 - 12 mg/l		45
S	23.00 mg/l	900 mg/l		45

### Li-Group




Element	Analysis	Setpoint	Warning lamp	Gallons
Li	77.00 µg/l	200 µg/l		45
Ni	3.74 µg/l	5 µg/l		45
Mo	28.00 µg/l	12 µg/l		45





### I-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
V	114.00 µg/l	0 - 3 µg/l		45
Zn	12.00 µg/l	0 - 5 µg/l		45
Mn	8.96 µg/l	0 - 3 µg/l		45
I	2280850.00 µg/l	30 - 90 µg/l		45

### Fe-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Cr	3.16 µg/l	0 µg/l		45
Co	3.71 µg/l	0 µg/l		45
Fe	464.00 µg/l	0 µg/l		45

### Ba-Group



Element	Analysis	Setpoint	Warning lamp	Gallons
Ba	66.00 µg/l	0 - 10 µg/l		45
Be	0.00 µg/l	0 µg/l		45

### Si-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Si	150.00 µg/l	0 - 200 µg/l		45

## red sea a - 08/12/2021 (B-oqx12a)

### Nutrient-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
P	166.00 µg/l	6 - 23 µg/l		45
PO4	0.508 mg/l	0.018 - 0.07 mg/l		45

