












**red sea C - 08/12/2021 (B-0Aa2g5)**

## Unwanted heavy metals

Element	Analysis	Setpoint	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l		45
Se	0.00 µg/l	0 µg/l		45
Cd	14.00 µg/l	0 µg/l		45
Sn	0.00 µg/l	0 µg/l		45
Sb	0.00 µg/l	0 µg/l		45
As	0.00 µg/l	0 µg/l		45
Al	4741.00 µg/l	0 - 60 µg/l		45
Pb	12.00 µg/l	0 µg/l		45
Ti	129.00 µg/l	0 µg/l		45
Cu	7401.00 µg/l	0 µg/l		45
La	0.00 µg/l	0 µg/l		45
Sc	0.00 µg/l	0 µg/l		45
W	335.00 µg/l	0 µg/l		45







## Macro-Elements

Element	Analysis	Setpoint	Warning lamp	Gallons
Na	1069.00 mg/l	10000 - 11300 mg/l		45
Ca	5.00 mg/l	415 - 520 mg/l		45
Mg	7.00 mg/l	1320 - 1500 mg/l		45
K	0.00 mg/l	380 - 480 mg/l		45
Br	49.00 mg/l	62 mg/l		45
B	1388.00 mg/l	4.5 mg/l		45
Sr	0.00 mg/l	8 - 12 mg/l		45
S	87.00 mg/l	900 mg/l		45





## red sea C - 08/12/2021 (B-0Aa2g5)

### Li-Group




Element	Analysis	Setpoint	Warning lamp	Gallons
Li	159.00 µg/l	200 µg/l		45
Ni	2547.00 µg/l	5 µg/l		45
Mo	0.00 µg/l	12 µg/l		45





### I-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
V	222.00 µg/l	0 - 3 µg/l		45
Zn	16861.00 µg/l	0 - 5 µg/l		45
Mn	14755.00 µg/l	0 - 3 µg/l		45
I	9779.00 µg/l	30 - 90 µg/l		45


### Fe-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Cr	8271.00 µg/l	0 µg/l		45
Co	6852.00 µg/l	0 µg/l		45
Fe	281733.00 µg/l	0 µg/l		45

### Ba-Group



Element	Analysis	Setpoint	Warning lamp	Gallons
Ba	2.98 µg/l	0 - 10 µg/l		45
Be	19.00 µg/l	0 µg/l		45

### Si-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Si	78.00 µg/l	0 - 200 µg/l		45

## red sea C - 08/12/2021 (B-0Aa2g5)

### Nutrient-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
P	132.00 µg/l	6 - 23 µg/l		45
PO4	0.404 mg/l	0.018 - 0.07 mg/l		45

