






















Reef-1 (25333A)



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		145
Se	0.00 µg/l	0 µg/l	-0.10		145
Cd	0.00 µg/l	0 µg/l	-0.10		145
Sn	10.00 µg/l	0 µg/l	9.90		145
Sb	0.00 µg/l	0 µg/l	-0.10		145
As	0.00 µg/l	0 µg/l	-0.10		145
Al	172.00 µg/l	2.00 µg/l	170.00		145
Pb	0.00 µg/l	0 µg/l	-0.10		145
Ti	0.00 µg/l	0 µg/l	-0.10		145
Cu	0.00 µg/l	0 µg/l	-0.10		145
La	0.00 µg/l	0 µg/l	-0.10		145
Sc	0.00 µg/l	0 µg/l	-0.10		145
W	0.00 µg/l	0 µg/l	-0.10		145




Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	10589.00 mg/l	10700.00 mg/l	-111.00		145
Ca	402.00 mg/l	440.00 mg/l	-38.00		145
Mg	1296.00 mg/l	1370.00 mg/l	-74.00		145
K	377.00 mg/l	400.00 mg/l	-23.00		145
Br	56.00 mg/l	62.00 mg/l	-6.00		145
B	3.80 mg/l	4.50 mg/l	-0.70		145
Sr	7.28 mg/l	8.00 mg/l	-0.72		145
S	944.00 mg/l	900.00 mg/l	44.00		145





Reef-1 (25333A)






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	177.00 µg/l	200.00 µg/l	-23.00		145
Ni	0.00 µg/l	5.00 µg/l	-5.00		145
Mo	4.68 µg/l	12.00 µg/l	-7.32		145



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	1.69 µg/l	1.20 µg/l	0.49		145
Zn	0.00 µg/l	4.00 µg/l	-4.00		145
Mn	32.00 µg/l	2.00 µg/l	30.00		145
I	97.00 µg/l	60.00 µg/l	37.00		145


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		145
Co	0.00 µg/l	0 µg/l	-0.10		145
Fe	12.00 µg/l	0 µg/l	11.90		145

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	33.00 µg/l	10.00 µg/l	23.00		145
Be	0.00 µg/l	0 µg/l	-0.10		145



Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	532.00 µg/l	100.00 µg/l	432.00		145

Reef-1 (25333A)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	141.00 µg/l	6.00 µg/l	135.00		145
PO4	0.431 mg/l	0.018 mg/l	0.413		145