






















Reefer 625 XXL - 02/27/2021 (B-oyYPYM)

Unwanted heavy metals

Element	Analysis	Setpoint	Warning lamp	Liter
Hg	0.00 µg/l	0 µg/l		715
Se	0.00 µg/l	0 µg/l		715
Cd	0.00 µg/l	0 µg/l		715
Sn	0.00 µg/l	0 µg/l		715
Sb	0.00 µg/l	0 µg/l		715
As	0.00 µg/l	0 µg/l		715
Al	2.22 µg/l	0 - 60 µg/l		715
Pb	0.00 µg/l	0 µg/l		715
Ti	0.00 µg/l	0 µg/l		715
Cu	0.00 µg/l	0 µg/l		715
La	0.00 µg/l	0 µg/l		715
Sc	0.00 µg/l	0 µg/l		715
W	0.00 µg/l	0 µg/l		715







Macro-Elements

Element	Analysis	Setpoint	Warning lamp	Liter
Na	10869.00 mg/l	10000 - 11300 mg/l		715
Ca	427.00 mg/l	415 - 520 mg/l		715
Mg	1327.00 mg/l	1320 - 1500 mg/l		715
K	410.00 mg/l	380 - 480 mg/l		715
Br	61.00 mg/l	62 mg/l		715
B	4.01 mg/l	4.5 mg/l		715
Sr	8.33 mg/l	8 - 12 mg/l		715
S	930.00 mg/l	900 mg/l		715





Reefer 625 XXL - 02/27/2021 (B-oyYPYM)

Li-Group




Element	Analysis	Setpoint	Warning lamp	Liter
Li	189.00 µg/l	200 µg/l		715
Ni	0.00 µg/l	5 µg/l		715
Mo	3.93 µg/l	12 µg/l		715





I-Group

Element	Analysis	Setpoint	Warning lamp	Liter
V	0.00 µg/l	0 - 3 µg/l		715
Zn	0.00 µg/l	0 - 5 µg/l		715
Mn	0.00 µg/l	0 - 3 µg/l		715
I	52.00 µg/l	30 - 90 µg/l		715

Fe-Group

Element	Analysis	Setpoint	Warning lamp	Liter
Cr	0.00 µg/l	0 µg/l		715
Co	0.00 µg/l	0 µg/l		715
Fe	0.00 µg/l	0 µg/l		715

Ba-Group



Element	Analysis	Setpoint	Warning lamp	Liter
Ba	1.56 µg/l	0 - 10 µg/l		715
Be	0.00 µg/l	0 µg/l		715

Si-Group

Element	Analysis	Setpoint	Warning lamp	Liter
Si	126.00 µg/l	0 - 200 µg/l		715

Reefer 625 XXL - 02/27/2021 (B-oyYPYM)

Nutrient-Group

Element	Analysis	Setpoint	Warning lamp	Liter
P	37.00 µg/l	6 - 23 µg/l		715
PO4	0.113 mg/l	0.018 - 0.07 mg/l		715

