


Unwanted heavy metals

Element	Analysis	Setpoint	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	<div></div>	53
Se	0.00 µg/l	0 µg/l	<div></div>	53
Cd	0.00 µg/l	0 µg/l	<div></div>	53
Sn	0.00 µg/l	0 µg/l	<div></div>	53
Sb	0.00 µg/l	0 µg/l	<div></div>	53
As	0.00 µg/l	0 µg/l	<div></div>	53
Al	0.00 µg/l	0 - 60 µg/l	<div></div>	53
Pb	0.00 µg/l	0 µg/l	<div></div>	53
Ti	0.00 µg/l	0 µg/l	<div></div>	53
Cu	0.00 µg/l	0 µg/l	<div></div>	53
La	0.00 µg/l	0 µg/l	<div></div>	53
Sc	0.00 µg/l	0 µg/l	<div></div>	53
W	0.00 µg/l	0 µg/l	<div></div>	53







Macro-Elements

Element	Analysis	Setpoint	Warning lamp	Gallons
Na	10816.00 mg/l	10000 - 11300 mg/l	<div></div>	53
Ca	432.00 mg/l	415 - 520 mg/l	<div></div>	53
Mg	1340.00 mg/l	1320 - 1500 mg/l	<div></div>	53
K	391.00 mg/l	380 - 480 mg/l	<div></div>	53
Br	60.00 mg/l	62 mg/l	<div></div>	53
B	4.49 mg/l	4.5 mg/l	<div></div>	53
Sr	8.00 mg/l	8 - 12 mg/l	<div></div>	53
S	883.00 mg/l	900 mg/l	<div></div>	53





RSR XL200 - 04/07/2021 (B-InqnpQ)

Li-Group




Element	Analysis	Setpoint	Warning lamp	Gallons
Li	267.00 µg/l	200 µg/l		53
Ni	2.07 µg/l	5 µg/l		53
Mo	9.67 µg/l	12 µg/l		53





I-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
V	0.00 µg/l	0 - 3 µg/l		53
Zn	13.00 µg/l	0 - 5 µg/l		53
Mn	1.02 µg/l	0 - 3 µg/l		53
I	38.00 µg/l	30 - 90 µg/l		53

Fe-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l		53
Co	0.00 µg/l	0 µg/l		53
Fe	0.00 µg/l	0 µg/l		53



Ba-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Ba	34.00 µg/l	0 - 10 µg/l		53
Be	0.00 µg/l	0 µg/l		53

Si-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Si	141.00 µg/l	0 - 200 µg/l		53

Nutrient-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
P	101.00 µg/l	6 - 23 µg/l		53
PO4	0.309 mg/l	0.018 - 0.07 mg/l		53

