


## Unwanted heavy metals

Element	Analysis	Setpoint	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	■	53
Se	0.00 µg/l	0 µg/l	■	53
Cd	0.00 µg/l	0 µg/l	■	53
Sn	0.00 µg/l	0 µg/l	■	53
Sb	0.00 µg/l	0 µg/l	■	53
As	0.00 µg/l	0 µg/l	■	53
Al	96.00 µg/l	0 - 60 µg/l	■	53
Pb	0.00 µg/l	0 µg/l	■	53
Ti	0.00 µg/l	0 µg/l	■	53
Cu	0.00 µg/l	0 µg/l	■	53
La	0.00 µg/l	0 µg/l	■	53
Sc	0.00 µg/l	0 µg/l	■	53
W	0.00 µg/l	0 µg/l	■	53







## Macro-Elements

Element	Analysis	Setpoint	Warning lamp	Gallons
Na	10914.00 mg/l	10000 - 11300 mg/l	■	53
Ca	462.00 mg/l	415 - 520 mg/l	■	53
Mg	1464.00 mg/l	1320 - 1500 mg/l	■	53
K	417.00 mg/l	380 - 480 mg/l	■	53
Br	73.00 mg/l	62 mg/l	■	53
B	4.49 mg/l	4.5 mg/l	■	53
Sr	9.04 mg/l	8 - 12 mg/l	■	53
S	913.00 mg/l	900 mg/l	■	53





**RSR XL200 - 09/29/2021 (B-0rMAQ2)**

## Li-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Li	397.00 µg/l	200 µg/l		53
Ni	0.00 µg/l	5 µg/l		53
Mo	13.00 µg/l	12 µg/l		53



## I-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
V	0.00 µg/l	0 - 3 µg/l		53
Zn	0.00 µg/l	0 - 5 µg/l		53
Mn	0.00 µg/l	0 - 3 µg/l		53
I	0.00 µg/l	30 - 90 µg/l		53

## Fe-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	<div><div></div></div>	53
Co	0.00 µg/l	0 µg/l	<div><div></div></div>	53
Fe	0.00 µg/l	0 µg/l	<div><div></div></div>	53



## Ba-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Ba	59.00 µg/l	0 - 10 µg/l	<div></div>	53
Be	0.00 µg/l	0 µg/l	<div></div>	53

## Si-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Si	154.00 µg/l	0 - 200 µg/l	<div></div>	53

## Nutrient-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
P	27.00 µg/l	6 - 23 µg/l		53
PO4	0.083 mg/l	0.018 - 0.07 mg/l		53

