


Seapora - 22.04.2021 (B-IZg2MX)

Ungewünschte Schwermetalle

Element	Analyse	Sollwert	Warnampel	Gallonen
Hg	0.00 µg/l	0 µg/l	■	80
Se	0.00 µg/l	0 µg/l	■	80
Cd	0.00 µg/l	0 µg/l	■	80
Sn	0.00 µg/l	0 µg/l	■	80
Sb	0.00 µg/l	0 µg/l	■	80
As	0.00 µg/l	0 µg/l	■	80
Al	72.00 µg/l	0 - 60 µg/l	■	80
Pb	0.00 µg/l	0 µg/l	■	80
Ti	0.00 µg/l	0 µg/l	■	80
Cu	0.00 µg/l	0 µg/l	■	80
La	0.00 µg/l	0 µg/l	■	80
Sc	0.00 µg/l	0 µg/l	■	80
W	0.00 µg/l	0 µg/l	■	80




Macro-Elemente

Element	Analyse	Sollwert	Warnampel	Gallonen
Na	10238.00 mg/l	10000 - 11300 mg/l	■	80
Ca	365.00 mg/l	415 - 520 mg/l	■	80
Mg	1248.00 mg/l	1320 - 1500 mg/l	■	80
K	370.00 mg/l	380 - 480 mg/l	■	80
Br	70.00 mg/l	62 mg/l	■	80
B	4.09 mg/l	4.5 mg/l	■	80
Sr	6.74 mg/l	8 - 12 mg/l	■	80
S	795.00 mg/l	900 mg/l	■	80

Seapora - 22.04.2021 (B-IZg2MX)

Li-Gruppe

Element	Analyse	Sollwert	Warnampel	Gallonen
Li	202.00 µg/l	200 µg/l	<div><div></div></div>	80
Ni	5.42 µg/l	5 µg/l	<div><div></div></div>	80
Mo	7.94 µg/l	12 µg/l	<div><div></div></div>	80



I-Gruppe

Element	Analyse	Sollwert	Warnampel	Gallonen
V	0.00 µg/l	0 - 3 µg/l	<div></div>	80
Zn	0.00 µg/l	0 - 5 µg/l	<div></div>	80
Mn	0.00 µg/l	0 - 3 µg/l	<div></div>	80
I	36.00 µg/l	30 - 90 µg/l	<div></div>	80

Fe-Gruppe

Element	Analyse	Sollwert	Warnampel	Gallonen
Cr	0.00 µg/l	0 µg/l	<div></div>	80
Co	0.00 µg/l	0 µg/l	<div></div>	80
Fe	0.00 µg/l	0 µg/l	<div></div>	80

Ba-Gruppe

Element	Analyse	Sollwert	Warnampel	Gallonen
Ba	61.00 µg/l	0 - 10 µg/l	<div></div>	80
Be	0.00 µg/l	0 µg/l	<div></div>	80

Si-Gruppe

Element	Analyse	Sollwert	Warnampel	Gallonen
Si	215.00 µg/l	0 - 200 µg/l	<div></div>	80

Seapora - 22.04.2021 (B-IZg2MX)

Nährstoff-Gruppe

Element	Analyse	Sollwert	Warnampel	Gallonen
P	102.00 µg/l	6 - 23 µg/l	■	80
PO4	0.312 mg/l	0.018 - 0.07 mg/l	■	80

