



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		112
Se	0.00 µg/l	0 µg/l	-0.10		112
Cd	0.00 µg/l	0 µg/l	-0.10		112
Sn	0.00 µg/l	0 µg/l	-0.10		112
Sb	0.00 µg/l	0 µg/l	-0.10		112
As	0.00 µg/l	0 µg/l	-0.10		112
Al	11.00 µg/l	2.00 µg/l	9.00		112
Pb	0.00 µg/l	0 µg/l	-0.10		112
Ti	0.00 µg/l	0 µg/l	-0.10		112
Cu	0.00 µg/l	0 µg/l	-0.10		112
La	0.00 µg/l	0 µg/l	-0.10		112
Sc	0.00 µg/l	0 µg/l	-0.10		112
W	0.00 µg/l	0 µg/l	-0.10		112

Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	10594.00 mg/l	10700.00 mg/l	-106.00		112
Ca	462.00 mg/l	440.00 mg/l	22.00		112
Mg	1424.00 mg/l	1370.00 mg/l	54.00		112
K	401.00 mg/l	400.00 mg/l	1.00		112
Br	57.00 mg/l	62.00 mg/l	-5.00		112
B	3.11 mg/l	4.50 mg/l	-1.39		112
Sr	7.43 mg/l	8.00 mg/l	-0.57		112
S	938.00 mg/l	900.00 mg/l	38.00		112

**Li-Group**

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	170.00 µg/l	200.00 µg/l	-30.00		112
Ni	0.00 µg/l	5.00 µg/l	-5.00		112
Mo	3.49 µg/l	12.00 µg/l	-8.51		112

I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		112
Zn	0.00 µg/l	4.00 µg/l	-4.00		112
Mn	0.00 µg/l	2.00 µg/l	-2.00		112
I	6.44 µg/l	60.00 µg/l	-53.56		112

Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		112
Co	0.00 µg/l	0 µg/l	-0.10		112
Fe	0.00 µg/l	0 µg/l	-0.10		112

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	20.00 µg/l	10.00 µg/l	10.00		112
Be	0.00 µg/l	0 µg/l	-0.10		112

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	296.00 µg/l	100.00 µg/l	196.00		112

425XL (31878A)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	7.40 µg/l	6.00 µg/l	1.40		112
PO4	0.023 mg/l	0.018 mg/l	0.005		112