
























## Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		80
Se	0.00 µg/l	0 µg/l	-0.10		80
Cd	0.00 µg/l	0 µg/l	-0.10		80
Sn	0.00 µg/l	0 µg/l	-0.10		80
Sb	0.00 µg/l	0 µg/l	-0.10		80
As	0.00 µg/l	0 µg/l	-0.10		80
Al	33.00 µg/l	2.00 µg/l	31.00		80
Pb	0.00 µg/l	0 µg/l	-0.10		80
Ti	0.00 µg/l	0 µg/l	-0.10		80
Cu	0.00 µg/l	0 µg/l	-0.10		80
La	0.00 µg/l	0 µg/l	-0.10		80
Sc	0.00 µg/l	0 µg/l	-0.10		80
W	0.00 µg/l	0 µg/l	-0.10		80




## Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	11074.00 mg/l	10700.00 mg/l	374.00		80
Ca	456.00 mg/l	440.00 mg/l	16.00		80
Mg	1333.00 mg/l	1370.00 mg/l	-37.00		80
K	432.00 mg/l	400.00 mg/l	32.00		80
Br	74.00 mg/l	62.00 mg/l	12.00		80
B	4.11 mg/l	4.50 mg/l	-0.39		80
Sr	6.69 mg/l	8.00 mg/l	-1.31		80
S	1082.00 mg/l	900.00 mg/l	182.00		80





# PrimeReef (11898A)






## Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	454.00 µg/l	200.00 µg/l	254.00		80
Ni	0.00 µg/l	5.00 µg/l	-5.00		80
Mo	0.00 µg/l	12.00 µg/l	-12.00		80



## I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		80
Zn	0.00 µg/l	4.00 µg/l	-4.00		80
Mn	0.00 µg/l	2.00 µg/l	-2.00		80
I	22.00 µg/l	60.00 µg/l	-38.00		80


## Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		80
Co	0.00 µg/l	0 µg/l	-0.10		80
Fe	0.00 µg/l	0 µg/l	-0.10		80

## Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	29.00 µg/l	10.00 µg/l	19.00		80
Be	0.00 µg/l	0 µg/l	-0.10		80



## Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	128.00 µg/l	100.00 µg/l	28.00		80

## PrimeReef (11898A)



### Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	2.99 µg/l	6.00 µg/l	-3.01		80
PO4	0.009 mg/l	0.018 mg/l	-0.009		80