






Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		220
Se	0.00 µg/l	0 µg/l	-0.10		220
Cd	0.00 µg/l	0 µg/l	-0.10		220
Sn	0.00 µg/l	0 µg/l	-0.10		220
Sb	0.00 µg/l	0 µg/l	-0.10		220
As	0.00 µg/l	0 µg/l	-0.10		220
Al	1.98 µg/l	2.00 µg/l	-0.02		220
Pb	0.00 µg/l	0 µg/l	-0.10		220
Ti	0.00 µg/l	0 µg/l	-0.10		220
Cu	0.00 µg/l	0 µg/l	-0.10		220
La	0.00 µg/l	0 µg/l	-0.10		220
Sc	0.00 µg/l	0 µg/l	-0.10		220
W	0.00 µg/l	0 µg/l	-0.10		220





Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	10648.00 mg/l	10700.00 mg/l	-52.00		220
Ca	412.00 mg/l	440.00 mg/l	-28.00		220
Mg	1462.00 mg/l	1370.00 mg/l	92.00		220
K	428.00 mg/l	400.00 mg/l	28.00		220
Br	61.00 mg/l	62.00 mg/l	-1.00		220
B	9.61 mg/l	4.50 mg/l	5.11		220
Sr	8.90 mg/l	8.00 mg/l	0.90		220
S	944.00 mg/l	900.00 mg/l	44.00		220




**Li-Group**

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	203.00 µg/l	200.00 µg/l	3.00		220
Ni	0.00 µg/l	5.00 µg/l	-5.00		220
Mo	0.00 µg/l	12.00 µg/l	-12.00		220



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		220
Zn	0.00 µg/l	4.00 µg/l	-4.00		220
Mn	0.00 µg/l	2.00 µg/l	-2.00		220
I	0.00 µg/l	60.00 µg/l	-60.00		220


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		220
Co	0.00 µg/l	0 µg/l	-0.10		220
Fe	0.00 µg/l	0 µg/l	-0.10		220

Ba-Group



Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	40.00 µg/l	10.00 µg/l	30.00		220
Be	0.00 µg/l	0 µg/l	-0.10		220

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	143.00 µg/l	100.00 µg/l	43.00		220



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	4.01 µg/l	6.00 µg/l	-1.99		220
PO4	0.012 mg/l	0.018 mg/l	-0.006		220