

Kurt's Reef Tank 2.0 (21752B)



Ungewünschte Schwermetalle

Element	Analyse	Sollwert	Abweichung	Warnampel	Gallonen
Hg	0.00 µg/l	0 µg/l	-0.10		120
Se	0.00 µg/l	0 µg/l	-0.10		120
Cd	0.00 µg/l	0 µg/l	-0.10		120
Sn	0.00 µg/l	0 µg/l	-0.10		120
Sb	0.00 µg/l	0 µg/l	-0.10		120
As	0.00 µg/l	0 µg/l	-0.10		120
Al	0.20 µg/l	2.00 µg/l	-1.80		120
Pb	0.00 µg/l	0 µg/l	-0.10		120
Ti	0.00 µg/l	0 µg/l	-0.10		120
Cu	0.00 µg/l	0 µg/l	-0.10		120
La	0.00 µg/l	0 µg/l	-0.10		120
Sc	0.00 µg/l	0 µg/l	-0.10		120
W	0.00 µg/l	0 µg/l	-0.10		120

Macro-Elemente

Element	Analyse	Sollwert	Abweichung	Warnampel	Gallonen
Na	10128.00 mg/l	10700.00 mg/l	-572.00		120
Ca	473.00 mg/l	440.00 mg/l	33.00		120
Mg	1477.00 mg/l	1370.00 mg/l	107.00		120
K	447.00 mg/l	400.00 mg/l	47.00		120
Br	48.00 mg/l	62.00 mg/l	-14.00		120
B	4.46 mg/l	4.50 mg/l	-0.04		120
Sr	4.10 mg/l	8.00 mg/l	-3.90		120
S	826.00 mg/l	900.00 mg/l	-74.00		120

Kurt's Reef Tank 2.0 (21752B)



Li-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Gallonen
Li	89.00 µg/l	200.00 µg/l	-111.00		120
Ni	0.00 µg/l	5.00 µg/l	-5.00		120
Mo	26.00 µg/l	12.00 µg/l	14.00		120

I-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Gallonen
V	0.00 µg/l	1.20 µg/l	-1.20		120
Zn	3.74 µg/l	4.00 µg/l	-0.26		120
Mn	0.00 µg/l	2.00 µg/l	-2.00		120
I	0.00 µg/l	60.00 µg/l	-60.00		120

Fe-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Gallonen
Cr	0.00 µg/l	0 µg/l	-0.10		120
Co	0.00 µg/l	0 µg/l	-0.10		120
Fe	0.00 µg/l	0 µg/l	-0.10		120

Ba-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Gallonen
Ba	0.00 µg/l	10.00 µg/l	-10.00		120
Be	0.00 µg/l	0 µg/l	-0.10		120

Si-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Gallonen
Si	18.00 µg/l	100.00 µg/l	-82.00		120

Kurt's Reef Tank 2.0 (21752B)



Nährstoff-Gruppe

Element	Analyse	Sollwert	Abweichung	Warnampel	Gallonen
P	5.40 µg/l	6.00 µg/l	-0.60		120
PO4	0.017 mg/l	0.018 mg/l	-0.001		120