






















Kurt's Reef Tank (21752A)



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		120
Se	0.00 µg/l	0 µg/l	-0.10		120
Cd	0.00 µg/l	0 µg/l	-0.10		120
Sn	0.00 µg/l	0 µg/l	-0.10		120
Sb	0.00 µg/l	0 µg/l	-0.10		120
As	0.00 µg/l	0 µg/l	-0.10		120
Al	0.00 µg/l	2.00 µg/l	-2.00		120
Pb	0.00 µg/l	0 µg/l	-0.10		120
Ti	0.00 µg/l	0 µg/l	-0.10		120
Cu	0.00 µg/l	0 µg/l	-0.10		120
La	0.00 µg/l	0 µg/l	-0.10		120
Sc	0.00 µg/l	0 µg/l	-0.10		120
W	0.00 µg/l	0 µg/l	-0.10		120




Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	10093.00 mg/l	10700.00 mg/l	-607.00		120
Ca	351.00 mg/l	440.00 mg/l	-89.00		120
Mg	1348.00 mg/l	1370.00 mg/l	-22.00		120
K	388.00 mg/l	400.00 mg/l	-12.00		120
Br	42.00 mg/l	62.00 mg/l	-20.00		120
B	5.84 mg/l	4.50 mg/l	1.34		120
Sr	3.44 mg/l	8.00 mg/l	-4.56		120
S	737.00 mg/l	900.00 mg/l	-163.00		120





Kurt's Reef Tank (21752A)






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	84.00 µg/l	200.00 µg/l	-116.00		120
Ni	0.00 µg/l	5.00 µg/l	-5.00		120
Mo	27.00 µg/l	12.00 µg/l	15.00		120



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		120
Zn	0.00 µg/l	4.00 µg/l	-4.00		120
Mn	0.00 µg/l	2.00 µg/l	-2.00		120
I	0.00 µg/l	60.00 µg/l	-60.00		120


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		120
Co	0.00 µg/l	0 µg/l	-0.10		120
Fe	0.00 µg/l	0 µg/l	-0.10		120

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	6.29 µg/l	10.00 µg/l	-3.71		120
Be	0.00 µg/l	0 µg/l	-0.10		120



Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	96.00 µg/l	100.00 µg/l	-4.00		120

Kurt's Reef Tank (21752A)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	6.65 µg/l	6.00 µg/l	0.65		120
PO4	0.020 mg/l	0.018 mg/l	0.002		120