
























Unwanted heavy metals




Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		50
Se	0.00 µg/l	0 µg/l	-0.10		50
Cd	0.00 µg/l	0 µg/l	-0.10		50
Sn	0.00 µg/l	0 µg/l	-0.10		50
Sb	0.00 µg/l	0 µg/l	-0.10		50
As	0.00 µg/l	0 µg/l	-0.10		50
Al	0.00 µg/l	2.00 µg/l	-2.00		50
Pb	0.00 µg/l	0 µg/l	-0.10		50
Ti	0.00 µg/l	0 µg/l	-0.10		50
Cu	6.65 µg/l	0 µg/l	6.65		50
La	0.00 µg/l	0 µg/l	-0.10		50
Sc	0.00 µg/l	0 µg/l	-0.10		50
W	0.00 µg/l	0 µg/l	-0.10		50

Macro-Elements





Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	11483.00 mg/l	10700.00 mg/l	783.00		50
Ca	457.00 mg/l	440.00 mg/l	17.00		50
Mg	1645.00 mg/l	1370.00 mg/l	275.00		50
K	430.00 mg/l	400.00 mg/l	30.00		50
Br	67.00 mg/l	62.00 mg/l	5.00		50
B	4.67 mg/l	4.50 mg/l	0.17		50
Sr	7.95 mg/l	8.00 mg/l	-0.05		50
S	918.00 mg/l	900.00 mg/l	18.00		50






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	291.00 µg/l	200.00 µg/l	91.00		50
Ni	0.00 µg/l	5.00 µg/l	-5.00		50
Mo	0.00 µg/l	12.00 µg/l	-12.00		50



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		50
Zn	15.00 µg/l	4.00 µg/l	11.00		50
Mn	0.00 µg/l	2.00 µg/l	-2.00		50
I	0.00 µg/l	60.00 µg/l	-60.00		50


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		50
Co	0.00 µg/l	0 µg/l	-0.10		50
Fe	0.00 µg/l	0 µg/l	-0.10		50

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	16.00 µg/l	10.00 µg/l	6.00		50
Be	0.00 µg/l	0 µg/l	-0.10		50



Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	144.00 µg/l	100.00 µg/l	44.00		50

Joshua Crane (21172A)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	18.00 µg/l	6.00 µg/l	12.00		50
PO4	0.055 mg/l	0.018 mg/l	0.037		50