



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		80
Se	0.00 µg/l	0 µg/l	-0.10		80
Cd	0.00 µg/l	0 µg/l	-0.10		80
Sn	0.00 µg/l	0 µg/l	-0.10		80
Sb	0.00 µg/l	0 µg/l	-0.10		80
As	0.00 µg/l	0 µg/l	-0.10		80
Al	33.00 µg/l	2.00 µg/l	31.00		80
Pb	0.00 µg/l	0 µg/l	-0.10		80
Ti	0.00 µg/l	0 µg/l	-0.10		80
Cu	0.00 µg/l	0 µg/l	-0.10		80
La	0.00 µg/l	0 µg/l	-0.10		80
Sc	0.00 µg/l	0 µg/l	-0.10		80
W	0.00 µg/l	0 µg/l	-0.10		80

Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	13253.00 mg/l	10700.00 mg/l	2553.00		80
Ca	514.00 mg/l	440.00 mg/l	74.00		80
Mg	1574.00 mg/l	1370.00 mg/l	204.00		80
K	490.00 mg/l	400.00 mg/l	90.00		80
Br	98.00 mg/l	62.00 mg/l	36.00		80
B	5.30 mg/l	4.50 mg/l	0.80		80
Sr	6.59 mg/l	8.00 mg/l	-1.41		80
S	890.00 mg/l	900.00 mg/l	-10.00		80



Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	211.00 µg/l	200.00 µg/l	11.00		80
Ni	0.00 µg/l	5.00 µg/l	-5.00		80
Mo	2.21 µg/l	12.00 µg/l	-9.79		80

I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		80
Zn	0.00 µg/l	4.00 µg/l	-4.00		80
Mn	0.00 µg/l	2.00 µg/l	-2.00		80
I	59.00 µg/l	60.00 µg/l	-1.00		80

Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		80
Co	0.00 µg/l	0 µg/l	-0.10		80
Fe	0.00 µg/l	0 µg/l	-0.10		80

Ba-Group



Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	41.00 µg/l	10.00 µg/l	31.00		80
Be	0.00 µg/l	0 µg/l	-0.10		80

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	125.00 µg/l	100.00 µg/l	25.00		80



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	5.77 µg/l	6.00 µg/l	-0.23		80
PO4	0.018 mg/l	0.018 mg/l	0.000		80