

Aquarium1 (17014A)



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		100
Se	0.00 µg/l	0 µg/l	-0.10		100
Cd	0.00 µg/l	0 µg/l	-0.10		100
Sn	0.00 µg/l	0 µg/l	-0.10		100
Sb	0.00 µg/l	0 µg/l	-0.10		100
As	0.00 µg/l	0 µg/l	-0.10		100
Al	18.00 µg/l	2.00 µg/l	16.00		100
Pb	0.00 µg/l	0 µg/l	-0.10		100
Ti	0.00 µg/l	0 µg/l	-0.10		100
Cu	0.00 µg/l	0 µg/l	-0.10		100
La	0.00 µg/l	0 µg/l	-0.10		100
Sc	0.00 µg/l	0 µg/l	-0.10		100
W	0.00 µg/l	0 µg/l	-0.10		100




Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	10056.00 mg/l	10700.00 mg/l	-644.00		100
Ca	430.00 mg/l	440.00 mg/l	-10.00		100
Mg	1260.00 mg/l	1370.00 mg/l	-110.00		100
K	419.00 mg/l	400.00 mg/l	19.00		100
Br	64.00 mg/l	62.00 mg/l	2.00		100
B	5.99 mg/l	4.50 mg/l	1.49		100
Sr	7.57 mg/l	8.00 mg/l	-0.43		100
S	815.00 mg/l	900.00 mg/l	-85.00		100





Aquarium1 (17014A)






Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	257.00 µg/l	200.00 µg/l	57.00		100
Ni	0.00 µg/l	5.00 µg/l	-5.00		100
Mo	6.23 µg/l	12.00 µg/l	-5.77		100



I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	0.00 µg/l	1.20 µg/l	-1.20		100
Zn	0.00 µg/l	4.00 µg/l	-4.00		100
Mn	0.00 µg/l	2.00 µg/l	-2.00		100
I	3.82 µg/l	60.00 µg/l	-56.18		100


Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		100
Co	0.00 µg/l	0 µg/l	-0.10		100
Fe	0.00 µg/l	0 µg/l	-0.10		100

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	2.96 µg/l	10.00 µg/l	-7.04		100
Be	0.00 µg/l	0 µg/l	-0.10		100



Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	105.00 µg/l	100.00 µg/l	5.00		100

Aquarium1 (17014A)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	8.67 µg/l	6.00 µg/l	2.67		100
PO4	0.027 mg/l	0.018 mg/l	0.009		100