














Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Hg	0.00 µg/l	0 µg/l	-0.10		250
Se	0.00 µg/l	0 µg/l	-0.10		250
Cd	0.00 µg/l	0 µg/l	-0.10		250
Sn	9.68 µg/l	0 µg/l	9.58		250
Sb	0.00 µg/l	0 µg/l	-0.10		250
As	0.00 µg/l	0 µg/l	-0.10		250
Al	116.00 µg/l	2.00 µg/l	114.00		250
Pb	0.00 µg/l	0 µg/l	-0.10		250
Ti	0.00 µg/l	0 µg/l	-0.10		250
Cu	6.03 µg/l	0 µg/l	5.93		250
La	0.00 µg/l	0 µg/l	-0.10		250
Sc	0.00 µg/l	0 µg/l	-0.10		250
W	0.00 µg/l	0 µg/l	-0.10		250

Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Na	10024.00 mg/l	10700.00 mg/l	-676.00		250
Ca	426.00 mg/l	440.00 mg/l	-14.00		250
Mg	1181.00 mg/l	1370.00 mg/l	-189.00		250
K	343.00 mg/l	400.00 mg/l	-57.00		250
Br	75.00 mg/l	62.00 mg/l	13.00		250
B	3.97 mg/l	4.50 mg/l	-0.53		250
Sr	9.33 mg/l	8.00 mg/l	1.33		250
S	936.00 mg/l	900.00 mg/l	36.00		250

RSR250 (27353A)



Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Li	317.00 µg/l	200.00 µg/l	117.00		250
Ni	0.93 µg/l	5.00 µg/l	-4.07		250
Mo	6.25 µg/l	12.00 µg/l	-5.75		250

I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
V	0.00 µg/l	1.20 µg/l	-1.20		250
Zn	0.00 µg/l	4.00 µg/l	-4.00		250
Mn	0.00 µg/l	2.00 µg/l	-2.00		250
I	20.00 µg/l	60.00 µg/l	-40.00		250

Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Cr	8.66 µg/l	0 µg/l	8.56		250
Co	0.00 µg/l	0 µg/l	-0.10		250
Fe	0.00 µg/l	0 µg/l	-0.10		250

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Ba	4.01 µg/l	10.00 µg/l	-5.99		250
Be	0.00 µg/l	0 µg/l	-0.10		250



Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
Si	119.00 µg/l	100.00 µg/l	19.00		250

RSR250 (27353A)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Liter
P	5.78 µg/l	6.00 µg/l	-0.22		250
PO4	0.018 mg/l	0.018 mg/l	0.000		250