

Home Aquarium (19735A)



Unwanted heavy metals

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l	-0.10		1250
Se	0.00 µg/l	0 µg/l	-0.10		1250
Cd	0.00 µg/l	0 µg/l	-0.10		1250
Sn	0.00 µg/l	0 µg/l	-0.10		1250
Sb	0.00 µg/l	0 µg/l	-0.10		1250
As	0.00 µg/l	0 µg/l	-0.10		1250
Al	4.67 µg/l	2.00 µg/l	2.67		1250
Pb	0.00 µg/l	0 µg/l	-0.10		1250
Ti	0.00 µg/l	0 µg/l	-0.10		1250
Cu	0.00 µg/l	0 µg/l	-0.10		1250
La	0.00 µg/l	0 µg/l	-0.10		1250
Sc	0.00 µg/l	0 µg/l	-0.10		1250
W	0.00 µg/l	0 µg/l	-0.10		1250

Macro-Elements

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Na	10497.00 mg/l	10700.00 mg/l	-203.00		1250
Ca	441.00 mg/l	440.00 mg/l	1.00		1250
Mg	1315.00 mg/l	1370.00 mg/l	-55.00		1250
K	366.00 mg/l	400.00 mg/l	-34.00		1250
Br	60.00 mg/l	62.00 mg/l	-2.00		1250
B	4.38 mg/l	4.50 mg/l	-0.12		1250
Sr	4.33 mg/l	8.00 mg/l	-3.67		1250
S	990.00 mg/l	900.00 mg/l	90.00		1250

Home Aquarium (19735A)



Li-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Li	351.00 µg/l	200.00 µg/l	151.00		1250
Ni	0.00 µg/l	5.00 µg/l	-5.00		1250
Mo	8.29 µg/l	12.00 µg/l	-3.71		1250

I-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
V	2.07 µg/l	1.20 µg/l	0.87		1250
Zn	0.00 µg/l	4.00 µg/l	-4.00		1250
Mn	0.00 µg/l	2.00 µg/l	-2.00		1250
I	9.47 µg/l	60.00 µg/l	-50.53		1250

Fe-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l	-0.10		1250
Co	0.00 µg/l	0 µg/l	-0.10		1250
Fe	0.00 µg/l	0 µg/l	-0.10		1250

Ba-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Ba	1.75 µg/l	10.00 µg/l	-8.25		1250
Be	0.00 µg/l	0 µg/l	-0.10		1250

Si-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
Si	75.00 µg/l	100.00 µg/l	-25.00		1250

Home Aquarium (19735A)



Nutrient-Group

Element	Analysis	Setpoint	Deviation	Warning lamp	Gallons
P	3.16 µg/l	6.00 µg/l	-2.84	■	1250
PO4	0.010 mg/l	0.018 mg/l	-0.008	■	1250