















Unwanted heavy metals




Element	Analysis	Setpoint	Warning lamp	Gallons
Hg	0.00 µg/l	0 µg/l		80
Se	0.00 µg/l	0 µg/l		80
Cd	0.00 µg/l	0 µg/l		80
Sn	0.00 µg/l	0 µg/l		80
Sb	0.00 µg/l	0 µg/l		80
As	0.00 µg/l	0 µg/l		80
Al	2.95 µg/l	0 - 60 µg/l		80
Pb	0.00 µg/l	0 µg/l		80
Ti	0.00 µg/l	0 µg/l		80
Cu	0.00 µg/l	0 µg/l		80
La	0.00 µg/l	0 µg/l		80
Sc	0.00 µg/l	0 µg/l		80
W	0.00 µg/l	0 µg/l		80



Macro-Elements





Element	Analysis	Setpoint	Warning lamp	Gallons
Na	10774.00 mg/l	10000 - 11300 mg/l		80
Ca	473.00 mg/l	415 - 520 mg/l		80
Mg	1349.00 mg/l	1320 - 1500 mg/l		80
K	398.00 mg/l	380 - 480 mg/l		80
Br	60.00 mg/l	62 mg/l		80
B	4.22 mg/l	4.5 mg/l		80
Sr	8.27 mg/l	8 - 12 mg/l		80
S	939.00 mg/l	900 mg/l		80

Li-Group




Element	Analysis	Setpoint	Warning lamp	Gallons
Li	174.00 µg/l	200 µg/l		80
Ni	0.00 µg/l	5 µg/l		80
Mo	8.49 µg/l	12 µg/l		80





I-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
V	0.00 µg/l	0 - 3 µg/l		80
Zn	0.45 µg/l	0 - 5 µg/l		80
Mn	1.09 µg/l	0 - 3 µg/l		80
I	19.00 µg/l	30 - 90 µg/l		80


Fe-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Cr	0.00 µg/l	0 µg/l		80
Co	0.00 µg/l	0 µg/l		80
Fe	3.78 µg/l	0 µg/l		80



Ba-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Ba	5.76 µg/l	0 - 10 µg/l		80
Be	0.00 µg/l	0 µg/l		80

Si-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
Si	132.00 µg/l	0 - 200 µg/l		80

Nutrient-Group

Element	Analysis	Setpoint	Warning lamp	Gallons
P	6.54 µg/l	6 - 23 µg/l		80
PO4	0.020 mg/l	0.018 - 0.07 mg/l		80

